

Table 3.80

Alcohol-related problems among college students

United States, 1993, 1997, 1999, and 2001

Problem	1993	1997	1999	2001
Missed a class	26.9%	31.1%	29.9%	29.5%
Got behind in school work	20.5	24.1	24.1	21.6
Did something you regret	32.1	37.0	36.1	35.0
Forgot where you were or what you did	24.7	27.4	27.1	26.8
Argued with friends	19.6	24.0	22.5	22.9
Engaged in unplanned sexual activities	19.2	23.3	21.6	21.3
Did not use protection when you had sex	9.8	11.2	10.3	10.4
Damaged property	9.3	11.7	10.8	10.7
Got into trouble with campus or local police	4.6	6.4	5.8	6.5
Got hurt or injured	9.3	12.0	12.4	12.8
Required medical treatment for an overdose	0.5	0.6	0.6	0.8
Drove after drinking alcohol	26.6	29.5	28.8	29.0
Had five or more different alcohol-related problems	16.6	20.8	19.9	20.3

Note: See Note, [table 3.77](#). This table includes only those students who reported drinking alcohol in the past year and reported having the problem one or more times since the beginning of the school year. Some data have been revised by the Source and may differ from previous editions of SOURCEBOOK.

Source: Henry Wechsler et al., "Trends in College Binge Drinking During a Period of Increased Prevention Efforts," *Journal of American College Health*, Vol. 50 (March 2002), p. 210 [Online]. Available: <http://www.hsph.harvard.edu/cas/Documents/trends/Trends.pdf> [Dec. 14, 2004]. Table adapted by SOURCEBOOK staff.