

## **Bibliography for Teleconference “Breastfeeding in the NICU”**

American Academy of Pediatrics and Committee on Fetus and Newborn (1998). Hospital discharge of the high-risk neonate: proposed guidelines. *Pediatrics* 102, 411-417.

Atkinson,S.A., Radde,I.C., and Anderson,G.H. (1983). Macromineral balances in premature infants fed their own mothers' milk or formula. *J. Pediatr.* 102, 99-106.

Barrett-Reis,B., Hall,R.T., Schanler,R.J., Berseth,C.L., Chan,G., Ernst,J.A., Lemons,J., Adamkin,D., Baggs,G., and O'Connor,D. (2000). Enhanced growth of preterm infants fed a new powdered human milk fortifier: a randomized controlled trial. *Pediatrics* 106, 581-588.

Blaymore-Bier J, Ferguson AE, Morales Y, et al. Breastfeeding infants who were extremely low birthweight. *Pediatr* 100/6/e3: 1997.

Blaymore-Bier J, Ferguson A, Anderson L, et al. Breastfeeding of very low birthweight infants. *J Pediatr* 123: 773-8, 1993.

Blaymore-Bier,J., Oliver,T., Ferguson,A., and Vohr,B.R. (2002). Human milk reduces outpatient upper respiratory symptoms in premature infants during their first year of life. *J. Perinatol.* 22 , 354-359.

Butte,N.F., Garza,C., Johnson,C.A., Smith,E.O., and Nichols,B.L. (1984). Longitudinal changes in milk composition of mothers delivering preterm and term infants. *Early Hum. Dev.* 9, 153-162.

Fehrer S, Berger L, Johnson J, et al. Increasing breast milk production for premature infants with a relaxation/imagery audiotape. *Pediatr* 83: 57-60, 1989.

Fewtrell, MS, Cole,T.J., Bishop,N.J., and Lucas,A. (2000). Neonatal factors predicting childhood height in preterm infants: Evidence for a persisting effect of early metabolic bone disease? *J. Pediatr.* 137, 668-673.

Greer,F.R., McCormick,A., and Loker,J. (1984). Changes in fat concentration of human milk during delivery by intermittent bolus and continuous mechanical pump infusion. *J. Pediatr.* 105, 745-749.

Griffin TL, Meier PP, Bradford LS, et al. Mothers performing creamatocrits in the NICU: Accuracy, reactions, and cost. *JOGNN* 29: 249-257, 2000.

Gross,S.J., David,R.J., Bauman,L., and Tomarelli,R.M. (1980). Nutritional composition of milk produced by mothers delivering preterm. *J. Pediatr.* 96, 641-644.

Hall,R.T. (2001). Nutritional follow-up of the breastfeeding premature infant after hospital discharge. *Pediatr. Clin. North Am.* 48, 453-460.

Hamosh,M. (2001). Bioactive factors in human milk. *Pediatr. Clin. North Am.* 48, 69-86.

Hill PD, Aldag JC, Chatterton RT. The effect of sequential and simultaneous breast pumping on milk volume and prolactin levels: A pilot study. *J Hum Lact* 12: 193-199, 1996.

Hill PD, Ledbetter RJ, Kavanaugh KL. Breastfeeding patterns of low birthweight infants after hospital discharge. *JOGNN* 26: 189-97, 1997.

Howard CR, Lawrence RA. Xenobiotics and Breastfeeding. In Schanler RJ (ed). *Breastfeeding 2001: Pediatr Clin North Am.* 48 (2):485-504, 2001.

Hylander,M.A., Strobino,D.M., Pezzullo,J.C., and Dhanireddy,R. (2001). Association of human milk feedings with a reduction in retinopathy of prematurity among very low birthweight infants. *J. Perinatol.* 21, 356-362.

Hylander,M.A., Strobino,D.M., and Dhanireddy,R. (1998). Human milk feedings and infection among very low birth weight infants. *Pediatrics* 102, e38.

Kashyap,S., Schulze,K.F., Forsyth,M., Dell,R.B., Ramakrishnan,R., and Heird,W.C. (1990). Growth, nutrient retention, and metabolic response of low-birth-weight infants fed supplemented and unsupplemented preterm human milk. *Am. J. Clin. Nutr.* 52, 254-262.

Kavanaugh K, Mead L, Meier PP. Getting enough: Mothers' concerns about breastfeeding a preterm infant post-discharge. *JOGNN* 24: 23-32, 1995.

Kirsten GF, Bergman NJ, Hann FM. Kangaroo Care in the Nursery. In Schanler RJ (ed). *Breastfeeding 2001: Pediatr Clin North Am.* 48 (2):443-453, 2001.

Kliethermes PA, Cross ML, Lanese MG, et al. Transitioning preterm infants with nasogastric tube supplementation: Increased likelihood of breastfeeding. *JOGNN* 28: 264-273, 1999.

Kuschel,C.A. and Harding,J.E. (2001a). Multicomponent fortified human milk for promoting growth in preterm infants (Cochrane Review). *The Cochrane Library* 3.

Lucas,A. and Cole,T.J. (1990). Breast milk and neonatal necrotizing enterocolitis. *Lancet* 336, 1519-1523.

Lucas,A., Brooke,O.G., Baker,B.A., Bishop,N., and Morley,R. (1989). High alkaline phosphatase activity and growth in preterm neonates. *Arch. Dis. Child.* 64, 902-909.

Lucas,A., Fewtrell,M.S., Morley,R., Lucas,P.J., Baker,B.A., Lister,G., and Bishop,N.J. (1996). Randomized outcome trial of human milk fortification and developmental outcome in preterm infants. *Am. J. Clin. Nutr.* 64, 142-151.

Lucas,A., Morley,R., Cole,T.J., Lister,G., and Leeson-Payne,C. (1992). Breast milk and subsequent intelligence quotient in children born preterm. *Lancet* 339, 261-264.

Meier PP, Engstrom JL, Fleming B, et al. Estimating milk intake of hospitalized preterm infants who breastfeed. *J Hum Lact* 12: 21-6, 1996.

Meier PP, Brown LP, Hurst NM, et al. Nipple shields for preterm infants: Effect on milk transfer and duration of breastfeeding. *J Hum Lac* 16: 106-113, 2000.

Meier PP, Engstrom JL, Crichton C, et al. A new scale for in-home test-weighing for mothers of preterm and high-risk infants. *J Hum Lact* 10: 63-8, 1994.

Meier PP. Bottle and breastfeeding: Effects on transcutaneous oxygen pressure and temperature in preterm infants. *Nurs Res* 37: 36-41, 1988.

Meier PP. Breastfeeding in the Special Care Nursery: Prematures and Infants with Medical Problems. In Schanler RJ (ed). *Breastfeeding 2001: Pediatr Clin North Am.* 48 (2):425-442, 2001.

Narayanan I. Sucking on the 'emptied' breast—A better method of non-nutritive sucking than use of a pacifier. *Indian Pediatr* 27: 1122-1123.

Neville, M.C., Keller, R.P., Seacat, J., Casey, C.E., Allen, J.C., and Archer, P. (1984). Studies on human lactation. I. Within-feed and between-breast variation in selected components of human milk. *Am. J. Clin. Nutr.* 40, 635-646.

Porcelli, P., Schanler, R., Greer, F., Chan, G., Gross, S., Mehta, N., Spear, M., Kerner, J., Terry, D., and Euler, A. (2000). Growth in human milk-fed very low birth weight infants receiving a new human milk fortifier. *Ann. Nutr. Metab.* 44, 2-10.

Schanler RJ. The Use of Human Milk for Premature Infants. In Schanler RJ (ed). *Breastfeeding 2001: Pediatr Clin North Am.* 48 (1):207-220, 2001.

Schanler, R.J., Shulman, R.J., and Lau, C. (1999b). Feeding strategies for premature infants: Beneficial outcomes of feeding fortified human milk vs preterm formula. *Pediatrics* 103, 1150-1157.

Shulman, R.J., Schanler, R.J., Lau, C., Heitkemper, M., Ou, C.N., and Smith, E.O. (1998). Early feeding, feeding tolerance, and lactase activity in preterm infants. *J. Pediatr.* 133, 645-649.

Slusser W, Frantz K. High-Technology Breastfeeding. In Schanler RJ (ed). *Breastfeeding 2001: Pediatr Clin North Am.* 48 (2):505-516, 2001.

Valentine, C.J., Hurst, N.M., and Schanler, R.J. (1994). Hindmilk improves weight gain in low-birth-weight infants fed human milk. *J. Pediatr. Gastroenterol. Nutr.* 18, 474-477.

Wilson-Clay B. Clinical use of silicone nipple shields. *J Hum Lact* 12: 279-285, 1996.

Woolridge MW, Baum JD, Drewett RF. Does a change in the composition of human milk affect sucking patterns and milk intake? *Lancet.* 1980 Dec 13;2(8207):1292-3.