

Energy Efficiency and Directed Technical Change: Implications for Climate Change Mitigation

Gregory Casey*

Job Market Paper

October 2017

[\(Newest Version\)](#)

Abstract

I construct a putty-clay model of directed technical change and use it to analyze the effect of environmental policy on energy use in the United States. The model matches key data patterns that cannot be explained by the standard Cobb-Douglas approach used in climate change economics. In particular, the model captures both the short- and long-run elasticity of substitution between energy and non-energy inputs, as well as trends in final-use energy efficiency. My primary analysis examines the impact of new energy taxes. The putty-clay model suggests that tax-inclusive energy prices need to be 273% higher than laissez-faire levels in 2055 in order to achieve policy goals consistent with international agreements. By contrast, the Cobb-Douglas approach suggests that prices need only be 136% higher. To meet the same goals, the putty-clay model implies that final good consumption must fall by 6.5% relative to a world without intervention, which is more than three times the prediction from the standard model. In a second analysis, I find that policy interventions cannot achieve long-run reductions in energy use without increasing prices, implying that energy efficiency mandates and R&D subsidies have limited potential as tools for climate change mitigation. Finally, I use the model to analyze the long-run sustainability of economic growth in a world with non-renewable resources. Using two definitions of sustainability, the new putty-clay model delivers results that are more optimistic than the existing literature.

Keywords Energy, Climate Change, Directed Technical Change, Growth

JEL Classification Codes H23, O33, O44, Q43, Q55

*Department of Economics, Brown University. *Email:* gregory_casey@brown.edu. I would like to thank Lint Barrage, Oded Galor, and David Weil for their valuable guidance and insight. For helpful feedback, I am also grateful to Daron Acemoglu, Ufuk Akcigit, Joaquin Blaum, Stephie Fried, David Hemous, Peter Kruse-Andersen, Derek Lemoine, Stelios Michalopoulos, Juan Moreno-Cruz, Omer Ozak, David Popp, Sjak Smulders, Simone Valente, and Fabrizio Zilibotti, as well as seminar participants at the 2017 AERE summer meeting, the 2017 NAREA annual meeting, the 2017 AAEA Annual Meeting, the 2017 AERE sessions at the SEA Annual Meeting, and Brown University. All opinions and any errors are my own.

1 Introduction

To address global climate change, it is crucial to understand how carbon emissions will respond to policy interventions. Changes in energy efficiency will be an important component of this response. Indeed, rising energy efficiency – rather than the use of less carbon intensive energy sources – has been the major force behind the decline in the carbon intensity of output in the United States over the last 40 years (Nordhaus, 2013). Thus, energy efficiency will almost certainly be a critical factor in any future approach to mitigating climate change.

Integrated assessment models (IAMs) are the standard tool in climate change economics. They combine models of the economy and the climate. The leading models in this literature frequently treat energy as an input in a Cobb-Douglas aggregate production function (e.g., Nordhaus and Boyer, 2000; Golosov et al., 2014).¹ Despite the significant insights gained from the IAMs, there are two restrictive assumptions in this approach to modeling energy. First, in response to changes in energy prices, the Cobb-Douglas approach allows immediate substitution between capital and energy, which is at odds with short-run features of the U.S. data (Pindyck and Rotemberg, 1983; Hassler et al., 2012, 2016b). This suggests that the standard approach may not fully capture the effect of new taxes that raise the effective price of energy. Second, technological change is exogenous and undirected in the standard model. A substantial literature, however, suggests that improvements in energy-specific technology will play a pivotal role in combating climate change and that environmentally-friendly research investments respond to economic incentives (e.g., Popp et al., 2010; Acemoglu et al., 2012).

In this paper, I construct a putty-clay model of directed technical change that matches several key features of the data on U.S. energy use. In particular, the model captures both the short- and long-run elasticity of substitution between energy and non-energy inputs, as well as trends in final-use energy efficiency. In the model, each piece of capital requires a fixed amount of energy to operate at full potential. Technical change, however, can lower this input requirement in the next iteration of the capital good, or it can increase the ability of the next iteration to produce final output.^{2,3} When the price of energy increases relative to other inputs, firms invest more in energy

¹Research on the human impact of climate change spans many disciplines (Weyant, 2017). I focus on the economics literature building on the neoclassical growth model, where both energy use and output are determined in general equilibrium. Many prominent IAMs take output to be exogenous or abstract from modeling energy use (e.g., Hope, 2011; Anthoff and Tol, 2014). Another strand of the climate change literature uses large computable general equilibrium (CGE) models. Of particular relevance to the current paper are analyses using the EPPA (Morris et al., 2012) or Imaclim (Crassous et al., 2006) models, each of which has elements of putty-clay production.

²Capital good producers turn raw capital, ‘putty,’ into a capital good with certain technological characteristics, including energy efficiency. While energy efficiency can be improved by research and development, there is no substitution between energy and non-energy inputs once the capital good is in operation, capturing the rigid ‘clay’ properties of installed capital.

³The literature on putty-clay production functions has a long history (e.g., Johansen, 1959; Solow, 1962; Cass and Stiglitz, 1969; Calvo, 1976). Of particular relevance is work by Atkeson and Kehoe (1999), who investigate the role of putty-clay production in explaining the patterns of substitution between energy and non-energy inputs in production. The older literature on putty-clay models focuses on choosing a type of capital from an existing distribution or on the simultaneous use of old and new vintages. The current paper focuses on how the cutting-edge of technology, which is embodied in capital goods, evolves over time. As discussed in the next section, this modeling approach draws insight from Hassler et al. (2012, 2016b), who provide econometric evidence that a putty-clay model of directed technical

efficiency and less in other forms of technology. In the long-run, the endogenous research activity leads to a constant expenditure share of energy, even though there is no short-run substitution between energy and non-energy inputs.

The model also matches the source of gains in energy efficiency. In particular, I show that the declines in the carbon and energy intensities of output in the U.S. have been driven by reductions in final-use energy intensity. In other words, energy efficiency improves when capital goods and consumer durables require less energy to run, not when the energy sector becomes more efficient at turning primary energy (e.g., coal) into final-use energy (e.g., electricity). Moreover, these energy efficiency improvements have been more important than substitution between energy sources in explaining the historical trend towards cleaner production. The putty-clay model examines this crucial margin of technological progress, which has not received much attention in the existing literature on the environment and directed technical change (e.g., [Acemoglu et al., 2012, 2016](#)). To capture changes in final-use energy efficiency, I construct a new directed technical change model in which innovation occurs in different characteristics of capital goods. This new model yields different research incentives than the seminal approach of [Acemoglu \(1998, 2002\)](#), where innovation occurs in different sectors.

The new putty-clay model allows for a simple and transparent calibration procedure. It resembles the neoclassical growth model in several important ways, implying that many parameters are standard and can be taken from the existing literature. I calibrate the innovation and energy sectors to aggregate U.S. data on economic growth and energy use. I then use the model to perform three exercises. In my primary exercise, I examine the effect of energy taxes on energy use and compare the results to the standard Cobb-Douglas approach. I also analyze whether it is possible for policies, such as R&D subsidies or efficiency mandates, to reduce long-run energy use without raising the price of energy. Finally, I assess how the presence of non-renewable resources affects the potential for economic growth to be sustained in the very long run.

Both the Cobb-Douglas and putty-clay models are consistent with long-run features of the U.S. data. As a result, they have identical predictions for long-run energy use in the absence of climate policy. Their predictions for the impact of climate policy, however, differ significantly. In the long run, both models predict that the energy expenditure share of output will be constant. When new taxes raise the effective price of energy, however, the Cobb-Douglas model assumes that capital and labor can be quickly substituted for energy, leaving the expenditure share unchanged. In contrast, the putty-clay model predicts that the expenditure share will slowly evolve as the result of purposeful research activity. As a result, the energy expenditure share will be higher on the transition path and may converge to a permanently higher long-run level. Compared to the standard approach, therefore, the putty-clay model predicts that higher energy taxes are needed to achieve desired reductions in energy use. This analysis shows that constraining the model to match

change can fit patterns of substitution in data on U.S. energy use. They also investigate the implication of these forces for long-run economic growth in a social planner's model with finite energy resources.

short-run features of the data can greatly alter the predicted long-run reactions to environmental policy.

These differences are quantitatively important. The new model suggests that tax-inclusive energy prices need to be 273% higher than laissez-faire levels in 2055 in order to achieve policy goals consistent with the Paris Agreement.⁴ By contrast, the standard Cobb-Douglas approach suggests that tax-inclusive energy prices need only be 136% higher. To meet the same goals, the putty-clay model implies that final good consumption must fall by 6.5% relative to a world without intervention, which is more than three times the prediction from the standard model. Thus, compared to the standard approach, the new model predicts that greater taxation and more forgone consumption are necessary to achieve environmental policy goals. When applying the same taxes to both models, the new putty-clay model of directed technical change predicts 24% greater cumulative energy use over the next century. This indicates that policy designed with the Cobb-Douglas model will yield significantly different environmental results in a world better represented by the new putty-clay model.

Research subsidies and efficiency mandates are commonly used in attempts mitigate climate change and achieve energy security (Gillingham et al., 2009; Allcott and Greenstone, 2012). Despite their popularity, these policies may be ineffective due to rebound effects. Rebound occurs when economic behavior lessens the reduction in energy use following efficiency improvements. A long existing literature attempts to indirectly evaluate the effectiveness of such policies by estimating the size of rebound effects, usually in partial equilibrium or static settings.⁵ The new putty-clay model, however, makes it possible to directly analyze the broader motivating question: can policies that improve energy efficiency achieve long-term reductions in energy use, even if they do not increase energy prices? I start by considering the standard rebound exercise of a one-off improvement in energy efficiency. Such shocks lead to short-run reductions in energy use, but also lower the incentive for future investment in energy efficient technology. As a result, the interventions lead to temporary increases in medium-term energy use relative to world without policy, an extreme form of rebound known as ‘backfire.’ Eventually, the short-term reductions and medium-term backfire offset each other, leaving cumulative energy use unchanged. Permanent policy interventions can overcome rebound effects to achieve long-run reductions in energy use relative to laissez faire, but cannot achieve absolute decreases in energy use. Thus, the model suggests that policies that do not raise the price of energy will be unable to meet long-run environmental policy goals.

I also examine the sustainability of economic growth in a world with non-renewable resources. Using two different versions of sustainability, I find results that are more optimistic than the existing

⁴In particular, I simulate taxes needed to reduce energy use to 60% of 2005 levels by the year 2055. This is consistent with goals laid out in the Paris Agreement, which suggests that the United States adopt policies consistent with a 80% reduction in carbon emissions by 2050. Thus, I examine a case where half of the required reduction in carbon emissions comes from reductions in energy use. The goals are outlined in the Intended Nationally Determined Contribution (INDC) submitted by the United States to the United Nations Framework Convention on Climate Change (UNFCCC), which is available at: <http://www4.unfccc.int/submissions/INDC/Published%20Documents/United%20States%20of%20America/1/U.S.%20Cover%20Note%20INDC%20and%20Accompanying%20Information.pdf>.

⁵See Gillingham (2014) and Gillingham et al. (2016) for reviews of the literature.

literature. The first – and more standard – definition ignores climate change and is concerned with the ability of an economy to maintain current levels of consumption growth. Focusing on models with exhaustible resources, the existing directed technical change literature suggests that this form of sustainability is impossible because energy use is currently increasing, which is not possible in the long run (e.g., [André and Smulders, 2014](#); [Hassler et al., 2012, 2016b](#)). I consider the case where resources are inexhaustible, but only accessible at increasing and unbounded extraction costs,⁶ a formulation that captures the abundance of coal and the potential to exploit ‘unconventional’ sources of oil and natural gas ([Rogner, 1997](#); [Rogner et al., 2012](#)). In this setting, I find that energy use will necessarily increase in the long run (in the absence of policy intervention), implying that the presence of non-renewable resources alone does not pose a threat to this form of sustainability. The second definition of sustainability asks whether environmental policy can keep the stock of pollution low enough to prevent an ‘environmental disaster.’ The existing literature suggests that this form of sustainability is impossible when polluting and non-polluting factors of production are complements ([Acemoglu et al., 2012](#)). By considering the ability of new technologies to reduce the demand for dirty inputs, I show that it is possible for policy to prevent an environmental disaster, even in the case of perfect complementarity.

The rest of this paper is structured as follows. Section 2 surveys the related literature. Section 3 discusses the empirical motivation underlying the theory. The model is presented in Section 4 and the calibration in Section 5. Section 6 reports the results of the quantitative analyses, and Section 7 concludes.

2 Related Literature

As described above, this paper contributes to the literature on climate change economics that takes a Cobb-Douglas approach to energy modeling in IAMs. This paper is also closely related to a growing literature demonstrating that directed technical change (DTC) has important implications for environmental policy. These studies generally focus on clean versus dirty sources of energy, rather than energy efficiency. [Acemoglu et al. \(2012\)](#) demonstrate the role that DTC can play in preventing environmental disasters and emphasize the elasticity of substitution between clean and dirty production methods. The model in this paper bears more resemblance to an alternate approach they mention where firms can invest in quality improvements or carbon abatement and the latter only occurs in the presence of carbon taxes. Several other studies also investigate the case where policy interventions affect how technological change is directed between production and abatement activities.⁷ [Lemoine \(2017\)](#) demonstrates how the transition between sources of energy is affected by both innovation and increasing extraction costs in a world where new innovations are complementary to energy sources, but different energy sources are close substitutes. [Aghion](#)

⁶Models with increasing extraction costs have a long history in economics (e.g., [Heal, 1976](#); [Solow and Wan, 1976](#); [Pindyck, 1978](#)).

⁷See, for example, [Hart \(2008\)](#), [Peretto \(2008\)](#), [Grimaud and Rouge \(2008\)](#), and [Gans \(2012\)](#). [Hart \(2004\)](#) and [Ricci \(2007\)](#) consider the decision to investment in abatement technology in a model where technology is embodied in different vintages of capital.

et al. (2016) study a static DTC model of clean and dirty innovation in the automotive industry that includes an intra-product decision about energy efficiency. I build on these earlier works by constructing a new model of directed technical change, focusing on energy efficiency, quantitatively investigating the macroeconomic effects of prominent environmental policies, and comparing the results to the standard approach taken in IAMs.⁸ I also provide evidence that ‘environmental disasters’ can be averted even when polluting and non-polluting inputs are perfect complements, a result that is more optimistic than those in the existing DTC literature (Acemoglu et al., 2012).

Two recent papers extend the standard DTC model to quantitative investigation of macroeconomic policy (Acemoglu et al., 2016; Fried, forthcoming). Both focus on the issue of clean versus dirty energy sources and account for energy efficiency by calibrating growth in clean energy to overall de-carbonization of the economy. The current paper builds on these works by explicitly investigating energy efficiency as a separate source of innovation, using a new underlying model of DTC, and comparing the results to the standard approach taken in climate change economics.⁹

This paper is also related to the literature on DTC and energy use, which focuses on the efficiency of the energy transformation sector, rather than the energy requirements of capital goods. The literature begins with Smulders and De Nooij (2003), who apply the original DTC model directly to energy efficiency and use it to analyze the effects of exogenous changes in energy availability. Subsequent literature has focused on the relationship between DTC and the sustainability of long-run economic growth in the presence of exhaustible resources (e.g., Di Maria and Valente, 2008; André and Smulders, 2014; Hassler et al., 2012, 2016b). I build on the existing literature by constructing a new DTC model that focuses on final-use energy efficiency and by quantitatively examining the impacts of climate change mitigation policies. I also show how the prospects for long-run sustainability improve when considering the more empirically relevant case of inexhaustible resources and increasing extraction costs.¹⁰

The new putty-clay model of directed technical change builds on the aggregate social planner’s model of innovation and exhaustible resources developed by Hassler et al. (2012, 2016b). In order to investigate the role of energy efficiency in climate change mitigation policy, the current model differs from their work in two key aspects. First, I construct a decentralized model with incentives for innovation, which is necessary to quantify the effects of policy and to account for externalities.

⁸A related and influential literature looks at induced, but not directed, technical change and its implications for climate policy. These models tend to focus on social planner problems. Key contributions in this literature include Goulder and Schneider (1999), Goulder and Mathai (2000), Sue Wing (2003), and Popp (2004).

⁹It is also important to note that the DTC literature is supported by microeconomic studies that investigate the presence of directed technical change. Newell et al. (1999) and Jaffe et al. (2003) demonstrate that the energy efficiency of energy intensive consumer durables responds to changes in prices and government regulations. Similarly, Popp (2002) finds that energy efficiency innovation, as measured by patents, responds to changes in energy prices. He looks at both innovations in the energy sector and in the energy efficiency characteristics of other capital goods. More recently, Dechezleprêtre et al. (2011) and Caley and Dechezleprêtre (2016) find that patents for ‘low carbon’ technologies, which include more energy efficient and less carbon intensive innovations, respond to both energy prices and public policies designed to address climate change. Aghion et al. (2016) find that government policies have a strong effect on energy efficiency research in the automotive sector.

¹⁰Peretto and Valente (2015) focus on another form of sustainability, the growth of population in a world with a fixed amount of land. Their model includes two types of innovation, horizontal and vertical, but not innovation that is directed towards different factors of production.

Rather than importing the seminal directed technical change model developed by [Acemoglu \(1998, 2002\)](#), I take a new approach in which innovation occurs in different characteristics of capital goods, not in different sectors. As discussed in Section 3, the new approach is motivated by data on U.S. energy use. Second, I consider the case of infinite potential supplies of energy and increasing extraction costs. The potentially infinite supply of energy incorporates the role of coal in fossil fuel energy use¹¹ and the possibility for new methods of resource extraction to become feasible as costs rise ([Rogner, 1997](#); [Rogner et al., 2012](#)). The model of DTC and increasing extraction costs predicts that, in the absence of policy, energy use will increase in the long run. This is consistent with data and a first-order concern for climate policy, but contrary to the predictions of models with only exhaustible resources. More generally, the goal of climate change policy is to avoid using all available fossil fuels, implying that the optimal management of exhaustible resources is not a primary concern in this context ([Covert et al., 2016](#)).

This study is also related to the literature on the rebound effect, which can be thought of in two parts: a microeconomic literature that estimates rebound effects for specific goods¹² and a macroeconomic literature that investigates static general equilibrium effects.¹³ By studying this question in the context of a growth model, I incorporate several factors that are generally excluded from the literature. Most importantly, the putty-clay model incorporates the effects of changes in energy efficiency on subsequent innovation, a neglected issue that [Gillingham et al. \(2015\)](#) describe as a ‘wild card’ in our understanding of the long-run effects of energy efficiency policies. Moreover, the existing macroeconomic rebound literature focuses heavily on the elasticity of substitution between energy and non-energy inputs in production (e.g., [Sorrell et al., 2007](#); [Borenstein et al., 2015](#); [Lemoine, 2016](#)). The putty-clay model of directed technical change allows the elasticity to vary over time, matching key features of U.S. data on energy use. The model also accounts for the cost of achieving energy efficiency,¹⁴ as well as long-run changes in energy extraction costs and capital accumulation, none of which has received much attention in the existing quantitative literature.

3 Empirical Motivation

In this section, I discuss patterns in the data that motivate the theoretical choices made in this paper. In particular, I present evidence that a) declines in the final-use energy intensity of output drive reductions in the carbon intensity of output, b) there is a very low short-run elasticity of substitution between energy and non-energy inputs, and c) there is no long-run trend in the energy expenditure share of final output.

¹¹Coal is predicted to be the primary driver of global carbon emissions and is available in abundant supply ([van der Ploeg and Withagen, 2012](#); [Golosov et al., 2014](#); [Hassler et al., 2016a](#)).

¹²See, for example, [Allcott \(2011\)](#) and [Jesoe and Rapson \(2014\)](#), amongst others.

¹³See [Lemoine \(2016\)](#) for a recent theoretical treatment of rebound. For quantitative results from CGE models, see [Turner \(2009\)](#) and [Barker et al. \(2009\)](#), amongst others.

¹⁴[Fowle et al. \(2015\)](#) discuss the costs of achieving energy efficiency in a microeconomic setting.

To analyze the determinants of the carbon intensity of output, I consider the following decomposition:

$$\frac{CO_2}{Y} = \frac{CO_2}{E_p} \cdot \frac{E_p}{E_f} \cdot \frac{E_f}{Y}, \quad (1)$$

where CO_2 is yearly carbon emissions, Y is gross domestic product, E_p is primary energy use (e.g., coal, oil), and E_f is final-use energy consumption (e.g., electricity, gasoline). The carbon intensity of primary energy, $\frac{CO_2}{E_p}$, captures substitution between clean and dirty sources of energy (e.g., coal versus solar). The efficiency of the energy sector, which transforms primary energy into final-use energy, is captured by $\frac{E_p}{E_f}$. For example, the ratio decreases when power plants become more efficient at transforming coal into electricity. The final-use energy intensity of output, $\frac{E_f}{Y}$, measures the quantity of final-use energy used in production and consumption. For example, the ratio decreases when manufacturing firms use less electricity to produce the same quantity of goods.

The results of this decomposition are presented in Figure 1, which plots the carbon intensity of output and each component from equation (1) for the United States from 1971-2014. Data are normalized to 1971 values.¹⁵ The carbon intensity of output fell over 60% during this time period, and this decline is matched almost exactly by the decline in the final-use energy intensity of output. The carbon intensity of primary energy, $\frac{CO_2}{E_p}$, declined approximately 15% over this period. While this is a significant improvement for environmental outcomes, it is relatively small compared to the overall improvements in the carbon intensity of output. Finally, the efficiency of the energy transformation sector, as measured by the inverse of $\frac{E_p}{E_f}$, actually declined roughly 15% over this period.¹⁶

Motivated by this evidence, I construct a model that focuses on the final-use energy intensity of output. This creates a significant break with existing work. Existing macroeconomic research on directed technical change and climate change focuses on clean versus dirty sources of energy and does not consider energy efficiency as a distinct source of innovation (e.g., [Acemoglu et al., 2012, 2016](#); [Fried, forthcoming](#)). Transition to cleaner energy sources will undoubtedly be an important component of any approach to mitigate climate change, but the historical data strongly suggest that improved energy efficiency will be a pivotal aspect of any policy response. At the same time, applying the seminal DTC model of [Acemoglu \(1998, 2002\)](#) to the question of energy efficiency would require focusing on the efficiency of the energy sector (e.g., [Smulders and De Nooij, 2003](#); [André and Smulders, 2014](#)).¹⁷ Thus, I construct a new model where energy efficiency is driven by the energy requirements of capital goods. This theoretical innovation significantly alters the underlying

¹⁵Appendix Section A describes the data and provides links to the original sources.

¹⁶This result is driven by differences in the efficiency of transformation across different sources of primary energy, rather than technological regress.

¹⁷Existing work on induced technical change in social planner models also focuses on the efficiency of the energy sector, rather than final-use energy intensity (e.g., [Popp, 2004](#); [Bosetti et al., 2006](#)).




Figure 1: This figure decomposes the decline in the carbon intensity of output. CO_2 is yearly carbon emissions, Y is GDP, E_p is primary energy, and E_f is final-use energy. This figure demonstrates that the fall in the carbon intensity of output, $\frac{CO_2}{Y}$, has been driven by decreases in final-use energy intensity of output, $\frac{E_f}{Y}$, rather than the use of cleaner energy sources, $\frac{CO_2}{E_p}$, or a more efficient energy transformation sector, $\frac{E_p}{E_f}$. Data are from the International Energy Agency (IEA) and the Bureau of Economic Analysis (BEA). All values are normalized to 1971 levels.

incentives for research and development, implying that it is important to consider energy efficiency as a distinct source of innovation.¹⁸

Figure 2 provides evidence on the elasticity of substitution between energy and non-energy inputs. In particular, it shows the expenditure share of energy (E_{share}), the primary energy intensity of output ($\frac{E_p}{Y}$), and the average real energy price in the United States from 1971-2014.¹⁹ The data indicate that expenditure, but not energy intensity, reacts to short-term price fluctuations, suggesting that there is very little short-run substitution between energy and non-energy inputs. At the same time, there is no trend in the energy expenditure share of output, despite increasing prices. This pattern suggests that there is a constant long-run expenditure share in the absence of fundamental changes in parameters or policy, and equivalently, that the long-run elasticity of substitution between energy and non-energy inputs is close to one. The model in this paper will match both the short- and long-run patterns facts. Hassler et al. (2012, 2016b) provide a formal maximum likelihood estimate of the short-run elasticity of substitution between energy and non-energy inputs. They find an elasticity of substitution very close to zero. For the purposes of this paper, I will treat the elasticity as exactly zero and use a Leontief production structure, which allows

¹⁸Of course, not all improvements in energy efficiency need to be driven by technical change. In particular, sectoral reallocation could explain aggregate changes in energy use. Decomposition exercises suggest that improvements in intra-sectoral efficiency, rather than reallocation, have been the key driver of falling energy intensity over this period (Sue Wing, 2008; Metcalf, 2008). They also suggest that, prior to 1970, sectoral reallocation was the primary driver of falling energy intensity. The calibration will focus on the post-1970 period. Existing work suggests that there was a significant regime shift in both energy prices and energy efficiency improvements after this period (e.g., Hassler et al., 2012, 2016b; Baumeister and Kilian, 2016; Fried, forthcoming).

¹⁹This figure focuses on primary, rather than final-use, energy due to limitations on expenditure data.




Figure 2: This figure demonstrates that short-run movements in energy prices affect the energy expenditure share of output (E_{share}) in the short-run, but not the energy intensity of output ($\frac{Ep}{Y}$). At the same time, there is no long-run trend in the energy expenditure share of output, despite increasing prices. Data are taken from the Energy Information Administration (EIA) and the Bureau of Economic Analysis (BEA). All values are normalized to 1971 levels.

for the construction of a tractable putty-clay model with innovation in capital good characteristics. They also find that energy efficiency increases after prices rise, suggesting a DTC model of the type investigated here.²⁰

The trendless expenditure share of energy in Figure 2 serves as the motivation for the Cobb-Douglas production function in IAMs (Golosov et al., 2014; Barrage, 2014). At the same time, the analysis by Hassler et al. (2012, 2016b) suggests that the long-run energy expenditure share – which will eventually be constant – must be significantly higher than the current level. The model developed in this paper bridges the gap between these two approaches. It yields a constant energy expenditure share that matches the current level, while simultaneously replicating both short- and long-run patterns of substitution. Moreover, the analysis shows how constructing a model that matches both short- and long-run features of data significantly alters the predicted long-run reactions to climate policy. In particular, the putty-clay model suggests that higher taxes

²⁰As demonstrated in Figure 2, the price of energy in the United States had an upward trend from 1971-2014. Once again, this is a good match for post-1970 data, but not for U.S. data in the preceding two decades, where energy prices actually declined. Consistent with the predictions of the model, decomposition exercises suggest that intra-sectoral energy efficiency declined during this period of falling prices (Sue Wing, 2008). In this paper, I focus on the case where prices increase in the long run, though this is not central to any of the policy analysis. Increasing prices are consistent with theoretical work based on the Hotelling problem or increasing extraction costs (e.g., Hotelling, 1931; Heal, 1976; Pindyck, 1978), as well as empirical work suggesting a U-shaped pattern in long-run energy prices (e.g., Slade, 1982; Pindyck, 1999; Hamilton, 2012). The EIA predicts the energy prices will increase across a wide range of sources and end-uses over the next several decades. See ‘Table 3. Energy Prices by Sector and Source’ at <https://www.eia.gov/outlooks/aeo/>. Given the general difficulty in predicting future energy prices, especially in the short to medium run, I focus on relative outcomes, where the comparison occurs between models or relative to a ‘business as usual’ case (Baumeister and Kilian, 2016).

and more forgone consumption are necessary to meet environmental policy goals when compared to the Cobb-Douglas model, which is only consistent with long-run patterns in the data.

4 Model

4.1 Structure

4.1.1 Final Good Production

Final good production is perfectly competitive. The model extends the standard endogenous growth production function to account for energy use. To match the extremely low short-run elasticity of substitution between energy and non-energy inputs, I will consider a Leontief structure

$$Q_t = \int_0^1 \min[(A_{N,t}(i)X_t(i))^\alpha L_t^{1-\alpha}, A_{E,t}(i)E_t(i)] di, \quad (2)$$

$$s.t. \quad A_{E,t}(i)E_t(i) \leq A_{N,t}(i)X_t(i)^\alpha L_t^{1-\alpha} \quad \forall i, \quad (3)$$

where Q_t is gross output at time t , $A_{N,t}(i)$ is the the quality of capital good i , $X_t(i)$ is the quantity of capital good i , L_t is the aggregate (and inelastic) labor supply, $A_{E,t}(i)$ is the energy efficiency of capital good i , and $E_t(i)$ is the amount of energy devoted to operating capital good i . Several components of the production function warrant further discussion. As in the standard endogenous growth production function, output is generated by a Cobb-Douglas combination of aggregate labor, L_t , and a series of production process, each of which uses a different capital good, indexed by i . Unlike the endogenous growth literature, each production process also requires energy to run. Thus, the usual capital-labor composite measures the potential output that can be created using each production process, and the actual level of output depends on the amount of energy devoted to each process, $E_t(i)$. The notion of potential output is captured by constraint (3). Each capital good i has two distinct technological characteristics. The quality of the capital good, $A_{N,t}(i)$, improves its ability to produce output. The energy efficiency of the capital good, $A_{E,t}(i)$, lowers the amount of energy needed to operate the production process at full potential.^{21,22}

4.1.2 Energy Sector

Energy is available in infinite supply, but is subject to increasing extraction costs (see, e.g., [Heal, 1976](#); [Pindyck, 1978](#); [Lin and Wagner, 2007](#)). Extraction costs are paid in final goods, and energy is provided by a perfectly competitive sector with open access. The increasing extraction cost

²¹Consistent with the econometric literature on energy use, energy requirements depend both on the amount of capital and the amount of labor being used in the production process ([Van der Werf, 2008](#); [Hassler et al., 2012, 2016b](#)). Second, consistent with both the econometric and DTC literatures, improvements in non-energy technology, $A_N(i)$, raise energy requirements (e.g., [Smulders and De Nooij, 2003](#); [Van der Werf, 2008](#); [Hassler et al., 2012, 2016b](#); [Fried, forthcoming](#)). This framework is isomorphic to one in which $A_N(i)$ is the relative price of investment.

²²Appendix Section [B.6.2](#) presents as equivalent formulation for final good production that highlights the continuity with the existing DTC literature.

incorporates two main forces that govern long-run energy availability. First, it captures the increase in cost needed to extract conventional energy resources from harder-to-access areas.²³ Second, it captures the increase in cost that may occur when a particular energy source is exhausted, necessitating a switch to a type of energy which is more difficult to extract. In particular, the infinite supply of energy and increasing extraction costs capture the existence of ‘unconventional’ energy sources, which have high extraction costs but are available in vast quantities (Rogner, 1997; Rogner et al., 2012).²⁴ As in Golosov et al. (2014), the treatment of energy sources as infinite in potential supply also incorporates the abundance of coal, which is predicted to be the major driver of climate change (van der Ploeg and Withagen, 2012; Hassler et al., 2016a).²⁵

The marginal cost of extraction, which will also be equal to the price, is given by

$$p_{E,t} = \xi \bar{E}_{t-1}^t, \quad (4)$$

where \bar{E}_{t-1} is total energy ever extracted at the start of the period. The law of motion for the stock of extracted energy is given by

$$\bar{E}_t = E_{t-1} + \bar{E}_{t-1}. \quad (5)$$

Intuitively, energy producers exploit new sources of energy in each period and the difficulty of extraction is constant within each source.^{26,27}

²³For example, recent research suggests that most new oil production comes from the exploitation of new geographic areas, rather than improved technology applied to existing sources of energy (Hamilton, 2012).

²⁴For example, Rogner et al. (2012) estimate a resource base of 4,900 – 13,700 exajoules (EJ) for conventional oil, compared with annual production of 416 EJ across all energy sources. Thus, constraints on availability of conventional oil sources may be binding. The ability to exhaust fossil fuel energy sources, however, appears much less likely when considering other options. The resource base for unconventional sources of oil is estimated to be an additional 3,750 – 20,400 EJ. Meanwhile, the resource base for coal and natural gas (conventional and unconventional) are 17,300–435,000 EJ and 25,100 – 130,800 EJ, respectively. These estimates rely on projections regarding which resources will be profitable to extract from the environment. When considering the full range of energy sources that could become profitable to extract as resource prices tend towards infinity, the numbers grow even larger. In particular, such ‘additional occurrences’ are estimated to be larger than 1 million EJ for natural gas and 2.6 million EJ for uranium.

²⁵Technically, Golosov et al. (2014) specify a finite amount of coal, but assume it is not fully depleted. Thus, it has no scarcity rent, although it does have an extraction cost. Oil, by contrast, is assumed to have no extraction cost, but does have a positive scarcity rent. Hart and Spiro (2011) survey the empirical literature and find little evidence that scarcity rents are a significant component of energy costs. They suggest that policy exercises focusing on scarcity rents will give misleading results.

²⁶This is consistent, for example, with recent evidence from the oil industry, where drilling, but not within-well production, responds to changes in prices (Anderson et al., 2014).

²⁷A primary goal of this paper is to compare the results of the putty-clay model to the standard Cobb-Douglas approach used in IAMs. Since IAMs examine worldwide outcomes, it is crucial to consider the equilibrium effect of policy on energy prices. Hence, the comparison between models is most accurate when considering endogenous prices. At the same time, I also use the model to investigate the effect of policies pursued in the United States. In this case, endogenous energy prices can be motivated in two ways. First, it is possible to think of the United States as a closed economy, which is a good match for some, but not all, sources of primary energy. Alternatively, one can imagine the policies being applied on a worldwide level with the United States making up a constant fraction of total energy. To ensure that the key qualitative results of the paper are not driven by this assumption, I also consider the opposite extreme of exogenous energy prices, which implicitly treats the United States as a small open economy taking unilateral policy actions. In this case, energy prices will increase at a constant exogenous rate.

4.1.3 Final Output

Final output is given by gross production less total energy extraction costs, which are equal to energy expenditures by the final good producer. As long as equation (3) holds with equality,²⁸ final output is given by

$$Y_t = L_t^{1-\alpha} \int_0^1 \left[1 - \frac{p_{E,t}}{A_{E,t}(i)}\right] (A_{N,t}(i)X_t(i))^\alpha di. \quad (6)$$

This formulation further illuminates the continuity between the production function used here and the standard approach in endogenous growth models. Output has the classic Cobb-Douglas form with aggregate labor interacting with a continuum of capital goods. As in the endogenous growth literature, this structure maintains tractability in the putty-clay model, despite the Leontief nature of production.

Final output can either be consumed or saved for next period. In the empirical application, each period will be ten years. Following existing literature, I assume complete depreciation during production (Goloso *et al.*, 2014). Thus, market clearing in final goods implies

$$Y_t = C_t + K_{t+1} = L_t w_t + r_t K_t + \Pi_t + p_t^R + T_t, \quad (7)$$

where K_t is aggregate capital, Π_t is total profits, T_t is total tax revenue, and p_t^R is total payments to R&D inputs (discussed in the next section). When examining the effects of environmental policy, I assume that the government balances the budget using lump-sum taxes or transfers.

4.1.4 Capital Goods and Research

Each type of capital good is produced by a single profit-maximizing monopolist in each period. This monopolist also undertakes in-house R&D activities to improve the embodied technological characteristics, $A_{N,t}(i)$ and $A_{E,t}(i)$. The R&D production function is given by

$$A_{J,t}(i) = [1 + \eta_J R_{J,t}(i) R_{J,t}^{-\lambda}] A_{J,t-1}, \quad J \in \{N, E\}, \quad (8)$$

where $R_{J,t}(i)$ is R&D inputs assigned to characteristic J by firm i in period t , $R_{J,t} \equiv \int_0^1 R_{J,t}(i) di$, and $A_{J,t-1} \equiv \max\{A_{J,t-1}(i)\}$. In words, R&D builds on aggregate knowledge, $A_{J,t-1}$, and current period within-firm research allocations, $R_{J,t}(i)$, but is also subject to a congestion externality $R_{J,t}^{-\lambda}$ caused by duplicated research effort. When the period ends, patents expire and the best technology becomes available to all firms. Monopolists make decisions to maximize single period profits.²⁹

²⁸To ensure that equation (3) holds with equality, it is sufficient, but not necessary, to assume that capital fully depreciates after each period. If capital fully depreciates, then forward looking consumers will never ‘over-invest’ in capital and drive its return to zero. This assumption will be maintained in the empirical analysis and is also employed in Goloso *et al.* (2014).

²⁹This can be motivated in several ways. Most directly, the identity of the firm producing capital good i could change after each period. Alternatively, it could be the case that firms are infinitely lived but myopic, which seems reasonable considering the ten year period length. The set-up presented here is isomorphic to one where firms are

There are a unit mass of R&D inputs, yielding³⁰

$$R_{N,t} + R_{E,t} = 1 \quad \forall t. \quad (9)$$

I assume that the investment price is fixed at unity. Thus, market clearing implies that

$$\int_0^1 X_t(i) di = K_t, \quad (10)$$

where K_t is aggregate capital.

4.1.5 Consumer Problem

The consumer side of the problem is standard. In particular, the representative household chooses a path of consumption such that

$$\{C_t\}_{t=0}^{\infty} = \operatorname{argmax} \sum_{t=0}^{\infty} \beta^t L_t \frac{\tilde{c}_t^{1-\sigma}}{1-\sigma}, \quad (11)$$

where $\tilde{c}_t = C_t/L_t$. Population growth is given exogenously by

$$L_{t+1} = (1+n)L_t. \quad (12)$$

I am interested in the decentralized equilibrium. Thus, I consider the case where the representative household takes prices and technology as given. In other words, the household's budget constraint is given by the second equality in (7).

4.2 Analysis

As demonstrated in Appendix Section B.1, the first order conditions for the final good producer yield the following inverse demand functions:

$$p_{X,t}(i) = \alpha A_{N,t}(i)^\alpha \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}\right] L_t^{1-\alpha} X_t(i)^{\alpha-1}, \quad (13)$$

$$w_t = (1-\alpha) \int_0^1 \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}\right] L_t^{-\alpha} (A_{N,t}(i) X_t(i))^\alpha di, \quad (14)$$

infinitely lived and the aggregate technology, $A_{J,t-1}$, is given by the average of the previous period's technology as in [Fried \(forthcoming\)](#). This would open up the possibility of technological regress, though it would not occur in equilibrium.

³⁰This is consistent with both existing literature on DTC and the environment ([Acemoglu et al., 2012](#); [Fried, forthcoming](#)) and the social planner model provided by ([Hassler et al., 2012, 2016b](#)). Often, models of directed technical change refer to the fixed set of research inputs as scientists (e.g., [Acemoglu et al., 2012](#); [Fried, forthcoming](#)). This would be applicable here, though generating the standard Euler equation would require the representative household to ignore scientist welfare (in the environmental literature, directed technical change and capital accumulation are generally not included simultaneously). This would be a close approximation to a more inclusive utility function as long as scientists made up a small portion of the overall population. For simplicity, I refer to research inputs, which could be scientists, research labs, etc.

where $\tau_t \geq 1$ is a proportional tax on energy. The intuition for the result is straightforward. The final good producer demands capital goods until marginal revenue is equal to marginal cost. Unlike the usual endogenous growth model, marginal revenue is equal to marginal product minus the cost of energy needed to operate capital goods. Consider the case where the final good producer is already operating at a point where $(A_{N,t}(i)X_t(i))^\alpha L_t^{1-\alpha} = A_{E,t}(i)E_t(i)$. If the final good producer purchases more capital, it receives no increase in output unless there is a corresponding increase in energy purchased. The final good producer realizes this when making optimal decisions and adjusts demand for capital accordingly. This iso-elastic form for inverse demand maintains the tractability of the model.

Monopolist providers of capital goods must decide on optimal production levels and optimal research allocations. See Appendix Section B.2 for a formal derivation of the monopolists' behavior. Given the iso-elastic inverse demand function, monopolists set price equal to a constant markup over unit costs. Since capital goods must be rented from consumers, the unit cost is given by the rental rate, r_t . Thus, monopolist optimization yields

$$p_{X,t}(i) = \frac{1}{\alpha} r_t, \quad (15)$$

$$X_t(i) = \alpha^{\frac{2}{1-\alpha}} r_t^{\frac{-1}{1-\alpha}} A_{N,t}(i)^{\frac{\alpha}{1-\alpha}} L_t \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)} \right]^{\frac{1}{1-\alpha}}, \quad (16)$$

$$\bar{\pi}_{X,t}(i) = \left(\frac{1}{\alpha} - 1 \right) \alpha^{\frac{2}{1-\alpha}} r_t^{\frac{-1}{1-\alpha}} A_{N,t}(i)^{\frac{\alpha}{1-\alpha}} L_t \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)} \right]^{\frac{1}{1-\alpha}}, \quad (17)$$

where $\bar{\pi}_{X,t}(i)$ is production profits (i.e., profits excluding research costs) of the monopolist.

To understand research dynamics, it is helpful to look at the relative prices for research inputs,

$$\frac{(1 - \eta_t^S) p_{E,t}^R(i)}{p_{N,t}^R(i)} = \frac{\tau_t p_{E,t} A_{N,t}(i)}{\alpha A_{E,t}(i)^2 \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)} \right]} \frac{\eta_E R_{E,t}^{-\lambda} A_{E,t-1}}{\eta_N R_{N,t}^{-\lambda} A_{N,t-1}}, \quad (18)$$

where $p_{J,t}^R(i)$ is the rent paid to research inputs used by firm i to improve technological characteristic J at time t and $\eta_t^S \in [0, 1)$ is a subsidy for energy efficient research. There are several forces affecting the returns to R&D investment. First, increases in the tax-inclusive price of energy increase the relative return to investing in energy efficiency. Second, the return to investing in a particular type of R&D is increasing in its efficiency. Research efficiency, in turn, depends on inherent productivity, η_J , accumulated knowledge, $A_{J,t-1}$, and the amount of congestion, $R_{J,t}^{-\lambda}$. Third, since energy and non-energy inputs are complements in production, increases in $A_{N,t}(i)$ raise the return to investing in $A_{E,t}(i)$ and vice versa. These effects, however, are asymmetric. To maximize profits, monopolists balance two forces that drive demand for their products: 'output-increasing' technological progress, $A_{N,t}(i)$, and 'cost-saving' technological progress, $A_{E,t}(i)$. The asymmetry occurs because energy efficiency, $A_{E,t}(i)$, has a negative and convex effect on the cost of energy per unit of final output, $\frac{\tau_t p_{E,t}}{A_{E,t}(i)}$. Finally, the return to investing in the quality of capital goods is increasing in the share of final output paid to capital good producers, α .

In the usual DTC model, this analysis would demonstrate the role of *market size effects* and *price effects* in research incentives (Acemoglu, 1998, 2002). As demonstrated in equation (18), however, aggregate inputs do not affect R&D decisions in this model. In other words, market size effects play no role in this model. This is due to the short-run complementarity between energy and non-energy inputs. Moreover, the price effects in this model differ from those in the usual DTC model. Since the price of the final good is the numeraire, $\frac{\tau_t p_{E,t}}{A_{E,t}(i)}$ is the cost of energy per unit of final good production, and $1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}$ is the cost of non-energy inputs in final good production. Thus, the relative input prices do affect research allocations, but the relative price is completely determined by the cost of energy extraction. Moreover, as explained above, the relative price of energy – along with lagged technology levels – enter asymmetrically, unlike in the seminal model. These theoretical differences highlight the importance of considering the case where improvements in energy efficiency are driven by final-use energy, rather than using the more common approach where innovation occurs in different sectors.

Given that all firms use common technology at the start of the period, they make identical R&D decisions and, as a result, they end the period with identical technology. Moreover, there is a unit mass of monopolists. Thus, $R_{J,t}(i) = R_{J,t} \forall i, J, t$. The optimal research allocations are given by the implicit solution to (19) and (20),

$$R_{E,t} = \frac{\sqrt{\frac{\tau_t p_{E,t}}{A_{E,t-1}}} \sqrt{\frac{1}{\alpha(1-\eta_t^S)} \left[\frac{\eta_E R_{E,t}^{-\lambda}}{\eta_N (1-R_{E,t})^{-\lambda}} + \eta_E R_{E,t}^{-\lambda} - \eta_E R_{E,t}^{1-\lambda} \right] + (1 + \eta_E R_{E,t}^{1-\lambda}) - 1}}{\eta_E R_{E,t}^{-\lambda}}, \quad (19)$$

$$R_{N,t} = 1 - R_{E,t}. \quad (20)$$

This formulation highlights the simple closed form solution in the special case where $\lambda = 0$ and $\eta_t^S = 0$.

To analyze the determinants of research activity, it is instructive to consider multiplying both sides of (19) by $\eta_E R_{E,t}^{-\lambda}$ so that the growth rate of energy efficiency technology is given as a function of the other parameters. Since $\eta_t^S \in [0, 1)$, the left-hand side is strictly increasing in $R_{E,t}$ in this formulation and the right-hand side is strictly decreasing in $R_{E,t}$. Thus, we can note a few important partial effects. First, the level of non-energy technology does not affect the research allocation. The perfect complementarity in final good productions drives this result. As expected, increases in the tax-inclusive price of energy lead to increases in the fraction of research inputs devoted to advancing energy efficient technology. More surprisingly, increases in past energy efficiency lead to decreases in the amount of research effort devoted to energy efficiency, even though the research productivity builds on past knowledge. As in the case of non-energy research, this improvement in research productivity is exactly balanced by the complementary nature of production. In the case of energy efficiency, however, the convex relationship between energy efficiency and the effective cost of energy, $\frac{\tau_t p_{E,t}}{A_{E,t}(i)}$, creates further disincentive to invest in energy research when energy efficiency is already high. As expected, the growth rate of energy efficiency is increasing in the size of the research subsidy, η_t^S , and decreasing in the capital share, α .

Utility maximization yields

$$\left(\frac{\tilde{c}_t}{\tilde{c}_{t+1}}\right)^{-\sigma} = \beta r_{t+1}. \quad (21)$$

Noting that all monopolists make the same decisions and that there is a unit mass of monopolists, the real interest rate is given by

$$r_t = \alpha^2 A_{N,t}^\alpha \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}}\right] L_t^{1-\alpha} K_t^{\alpha-1}, \quad (22)$$

where the market clearing condition from equation (10) has been applied.

4.3 Equilibrium

Definition 1. A competitive equilibrium is a sequence of prices, $\{w_t, p_{X,t}, r_t, p_t^R, p_{E,t}\}_{t=0}^\infty$, allocations, $\{C_t, K_t, L_t, E_t, R_{N,t}, R_{E,t}\}_{t=0}^\infty$, technology levels, $\{A_{N,t}, A_{E,t}\}_{t=0}^\infty$, and environmental policies, $\{\tau_t, \eta_t^S\}_{t=0}^\infty$, such that each of the following conditions holds $\forall t$:

- The economy obeys market clearing conditions for final goods, (7), and capital goods, (10).
- Optimal research allocations solve (19) and (20).
- The dynamics for technology follow (18), noting that all monopolists make identical decisions.
- Consumer behavior follows the Euler equation, (21).
- Factor prices are given by (4), (14), (15), and (22), noting that all monopolists make identical decisions and that the market for capital goods clears.
- The economy obeys laws of motion for total extracted energy, (5), and population, (12).
- Initial Conditions $A_{J,-1}$ for $J \in \{E, N\}$, K_0 , L_0 , and \bar{E}_{-1} are given.

4.4 Balanced Growth under Laissez Faire

In this section, I examine long-run outcomes in the absence of environmental policy. To focus on empirically relevant cases, I maintain the following assumption for the remainder of the paper:

$$\eta_E > n, \quad (A.1)$$

which rules out extreme cases where all research activity is devoted to improving energy efficiency even in the absence of environmental policy. Section 5 shows that this assumption is satisfied by an order of magnitude in the data.

Definition 2. A laissez-faire equilibrium is a competitive equilibrium without environmental policy. Formally, $\tau_t = 1$ and $\eta_t^S = 0 \forall t$.

Definition 3. A balanced growth path (BGP) occurs when final output, technology, and consumption grow at constant rates.

On a balanced growth path (BGP), research allocations must remain fixed. Consider the laissez-faire case where there is no energy policy. From equations (19) and (20), it is immediate that $\frac{p_{E,t}}{A_{E,t-1}}$ is constant. Intuitively, this occurs because of the non-linear relationship between energy efficiency, $A_{E,t}$, and the cost of energy per unit of output, $\frac{p_{E,t}}{A_{E,t}}$. When energy prices increase, monopolists have greater incentive to invest in energy efficient technology, but this incentive dissipates as technology improves. As a result, both energy prices and energy efficient technology grow at the same constant rate, g_E^* , on the BGP.³¹ Thus, the increasing price of energy is exactly offset by improvements in energy efficiency.

Definition 4. The energy share of expenditure, denoted by θ_E , is the sum of resources paid to energy producers and energy taxes as a fraction of final output. Formally, $\theta_{E,t} \equiv \frac{\tau_t p_{E,t} E_t}{Y_t}$.

Given that energy prices and energy efficient technology grow at the same rate on the BGP, it is straightforward to show that the energy share of expenditure is constant in a laissez-faire equilibrium. In particular,

$$\theta_{E,t} = \frac{p_{E,t}/A_{E,t}}{1 - p_{E,t}/A_{E,t}}, \quad (23)$$

which must be constant given that $\frac{p_{E,t}}{A_{E,t-1}}$ is fixed and the growth rate of energy efficient technology is constant.³² Thus, despite the Leontief nature of production, the model still delivers a constant long-run energy expenditure share. As demonstrated in Section 3, this is consistent with aggregate data on U.S. energy use. Importantly, the expenditure share is only constant on the BGP. The low short-run elasticity of substitution between energy and non-energy inputs implies that the expenditure share would increase one-for-one with an unexpected increase in the energy price, until research allocations had a chance to react to the change in prices. This creates a significant difference with the Cobb-Douglas model, where the energy expenditure share is constant even on the transition path following a price shock. The Cobb-Douglas model is discussed further in Section 4.6.

The fact that energy efficient technology and the price of energy grow at the same rate yields the first of two key BGP relationships. In particular, noting the relationship between energy use and the price of energy, as given by (4) and (5), yields

$$(1 + g_M^*)^t = (1 + g_E^*), \quad (\text{BGP-RD})$$

³¹For the price of energy to grow at a constant rate, energy use must also grow at a constant rate, which will occur on the BGP.

³²See Hart (2013) for a general discussion of the relationship between factor shares and directed technical change.

where g_M^* is the growth rate cumulative energy use. On the BGP, this must also be the growth rate of per period energy use. This equation summarizes the conditions for a BGP on the research side of the economy.

I now move to considering the remainder of the economy. Consider the growth rate of TFP in this model.

Definition 5. Total factor productivity is defined as in the standard neoclassical growth model. Formally, $TFP \equiv \frac{Y_t}{K_t^\alpha L_t^{1-\alpha}}$.

It is immediate that

$$TFP_t = A_{N,t}^\alpha \left[1 - \frac{p_{E,t}}{A_{E,t}} \right]. \quad (24)$$

Since $\frac{p_{E,t}}{A_{E,t}}$ is constant on the BGP in the absence of policy, TFP grows at rate, $(1 + g_N^*)^\alpha - 1$, which is also constant. Since the consumer problem is standard, the model now reduces to the neoclassical growth model with monopolistic competition, implying that the putty-clay model with directed technical change will have the usual BGP properties. In particular, both final and gross output will grow at rate $g_Y^* = (1 + g_N^*)^{\frac{\alpha}{1-\alpha}}(1+n) - 1$. Given equation (2), the growth rate of energy use (both cumulative and per period) is given by

$$1 + g_M^* = \frac{(1 + g_N^*)^{\frac{\alpha}{1-\alpha}}}{1 + g_E^*} (1 + n). \quad (\text{BGP-QE})$$

Together, equations (BGP-RD) and (BGP-QE) determine the relative growth rates of technology on the unique BGP. Adding in market clearing for R&D inputs, (9), yields the optimal research allocations and applying the law of motion for technology, (8), gives the technology and energy use growth rates. The technology growth rates are then sufficient to characterize the output-side of the BGP, which behaves as in the standard model.

Remark. In a laissez-faire equilibrium, energy use is strictly increasing on the BGP, i.e., $g_M^* > 0$.

Proof. The remark follows from equation (BGP-RD) and the proof to Proposition 2, which demonstrates that research allocations are interior on the BGP. \square

Contrary to a world with only exhaustible energy sources, the current model predicts that energy use will be increasing in the long-run in the absence of environmental policy. Intuitively, this result holds because there is only incentive for energy efficient research when cumulative energy use (and, therefore, the price of energy) is increasing. But, in the absence of energy efficient research, energy use is necessarily increasing. Thus, there is no equilibrium with decreasing energy use. This has immediate implications for climate policy and for the long-run sustainability of economic growth.

Definition 6. An environmental disaster occurs when $\bar{E}_t > \hat{E}$.

The concept of environmental disasters has gained attention in the recent literature on climate change and DTC (Acemoglu et al., 2012; Lemoine, 2017). Since the focus of this paper is fossil fuel energy sources, it is convenient to view an environmental disaster as being determined by total energy use.

Proposition 1. *The BGP in a laissez-faire equilibrium always leads to an environmental disaster.*

Proof. The proof follows from the definition of an environmental disaster and the preceding remark. \square

Section 6.1 discusses the concept of an environmental disaster in greater detail. Proposition 2 summarizes and extends the results from this section. In particular, it uses the relationship between equations (BGP-RD) and (BGP-QE) to explicitly characterize the balanced growth path.

Proposition 2. *In a laissez-faire equilibrium, there exists a unique BGP on which each of the following holds true:*

1. *The research allocations are implicitly given by*

$$R_E^* = \left\{ \frac{\left[(1 + \eta_N (1 - R_E^*)^{1-\lambda})^{\frac{\alpha}{1-\alpha}} (1+n) \right]^{\frac{1}{1+1/\iota}} - 1}{\eta_E} \right\}^{\frac{1}{1-\lambda}}.$$

2. *Technological growth rates are given by $g_E^* = \eta_E (R_E^*)^{1-\lambda}$ and $g_N^* = \eta_N (1 - R_E^*)^{1-\lambda}$. The relationship between growth rates can be expressed as:*

$$(1 + g_E^*)^{\frac{\iota+1}{\iota}} = (1 + g_N^*)^{\frac{\alpha}{1-\alpha}} (1 + n).$$

3. *Output per worker and consumption per worker grow at a constant rate, $g_R^* = (1 + g_N^*)^{\frac{\alpha}{1-\alpha}} - 1$.*
4. *Total output and the capital stock grow at a constant rate, $g_Y^* = (1 + g_R^*)(1 + n) - 1$, which implies that the capital-output ratio is fixed.*

5. *The real interest rate, r_t , is constant.*

6. *Energy use grows at rate $g_M^* = \frac{1+g_R^*}{1+g_E^*} (1+n) - 1 > 0$.*

7. *The expenditure shares of energy, capital, labor, R&D inputs, and profits are all constant. In particular, the expenditure share of energy is implicitly given by*

$$\frac{\theta_E^*}{1+\theta_E^*} = \frac{1 + \eta_E (R_E^*)^{1-\lambda}}{\frac{1}{\alpha} \left[\frac{\eta_E (R_E^*)^{-\lambda}}{\eta_N (1 - R_E^*)^{-\lambda}} + \eta_E (R_E^*)^{-\lambda} - \eta_E (R_E^*)^{1-\lambda} \right] + 1 + \eta_E (R_E^*)^{1-\lambda}}.$$

Proof. The intuition is provided in the text, and a formal proof is provided in Appendix Section B.4. \square

4.5 Balanced Growth with Environmental Policy

In this section, I consider long-run outcomes in the presence of environmental policy.

Definition 7. An equilibrium with environmental policy is a competitive equilibrium where $\tau_t = \tau_0(1 + g_\tau)^t$, $g_\tau, \tau_0 > 0$ and $\eta_t^S = \eta^S \geq 0 \forall t$.³³

In a world with increasing energy taxes, equations (19) and (20) now imply that the growth rate of energy efficiency is equal to the product of growth in the energy price and the growth of the taxes. Thus, balanced growth on the research side of the economy requires

$$(1 + g_M^*)^l(1 + g_\tau) = (1 + g_E^*), \quad (\text{BGP-RD}')$$

which is equivalent to the laissez-faire condition if $g_\tau = 0$. This also implies that, on a BGP, $\lim_{t \rightarrow \infty} \frac{P_{E,t}}{A_{E,t}} = 0$. Thus, $\lim_{t \rightarrow \infty} [Q_t - Y_t] = 0$ and $\lim_{t \rightarrow \infty} \theta_{E,t} = \frac{\tau_t P_{E,t}}{A_{E,t}}$, which is constant. In the limit, the model again reduces to that of the standard neoclassical growth model with monopolistic competition. As a result, the BGP condition for the output side of the economy is unchanged:

$$1 + g_M^* = \frac{(1 + g_N^*)^{\frac{\alpha}{1-\alpha}}}{1 + g_E^*} (1 + n). \quad (\text{BGP-QE}')$$

The economy will not reach a BGP in finite time. Using the same steps as in Section 4.4, it is now possible to characterize the BGP. Noting the similarity between (BGP-RD') and (BGP-QE') on one hand and (BGP-RD) and (BGP-QE) on the other, it is immediate that the growth rate of technological progress is unaffected by the level of taxes or the research subsidy.

Remark. In an equilibrium with environmental policy, changes in energy research subsidies and the level of energy taxes have no effect on the BGP growth rate of energy. Formally, $\frac{dg_M^*}{d\tau_0} = \frac{dg_M^*}{d\eta^S} = 0$.

Proof. The intuition follows from the preceding discussion. Formally, the remark follows from Proposition 4. □

Noting that changes in the level of subsidies do not affect the long-run allocation of research inputs, examination of (19) indicates that research subsidies do affect the energy expenditure share and, therefore, the level of energy use. This creates another significant difference with the Cobb-Douglas model, where the energy expenditure share is virtually fixed in response to environmental policy.³⁴ This result is summarized in the following remark.

Remark. In an equilibrium with environmental policy, increases in the research subsidy decrease the energy expenditure share on the BGP. Formally, $\frac{d\theta_E^*}{d\eta^S} < 0$.

Proof. The remark follows from Proposition 4. The intuition is given in the preceding discussion. □

³³I restrict the formal analysis to the case of exponentially increasing taxes and a fixed research subsidy for analytic convenience. In particular, this restriction allows for the simple characterization of a balanced growth path, but does not drive any of the underlying intuition.

³⁴Tax-inclusive energy expenditure is a constant share of gross output, but the rebate of taxes implies that the share in total output decreases slightly in response to an increase in taxes.

As demonstrated in equation (BGP-RD'), the existence of increasing energy taxes weakens the link between the cost of energy extraction, $p_{E,t}$, and energy efficient research. In particular, there can be incentives for energy efficient research even when the price of energy is decreasing, as long as the tax on energy is increasing quickly enough. Thus, it is possible to have an equilibrium with a constant energy price.

Remark. *In an equilibrium with environmental policy, energy use is weakly increasing on the BGP. Formally, $g_M^* \geq 0$. Moreover, $\frac{dg_M^*}{dg_\tau} < 0$.*

Proof. The remark follows from the proof to Proposition 4. □

Proposition 3. *The BGP in an equilibrium with environmental policy does not always lead to an environmental disaster.*

Proof. The proof follows from the definition of an environmental disaster and the preceding remark. □

All of the results presented thus far are summarized and extended in Proposition 4. In particular, it uses the relationship between equations (BGP-RD') and (BGP-QE') to explicitly characterize the BGP in the presence of environmental policy.

Proposition 4. *In an equilibrium with environmental policy, there exists a unique BGP on which each of the following holds true:*

1. *The research allocations are implicitly given by*

$$R_E^* = \left\{ \frac{\left[(1+\eta_N(1-R_E^*)^{1-\lambda})^{\frac{\alpha}{1-\alpha}} (1+n)(1+g_\tau)^{1/\iota} \right]^{\frac{1}{1+1/\iota}} - 1}{\eta_E} \right\}^{\frac{1}{1-\lambda}}.$$

2. *Technological growth rates are given by $g_E^* = \eta_E(R_E^*)^{1-\lambda}$ and $g_N^* = \eta_N(1 - R_E^*)^{1-\lambda}$. The relationship between growth rates can be expressed as $(1 + g_E^*)^{\frac{\iota+1}{\iota}} = (1 + g_N^*)^{\frac{\alpha}{1-\alpha}} (1 + n)(1 + g_\tau)$.*

3. *Output per worker and consumption per worker grow at a constant rate, $g_R^* = (1 + g_N^*)^{\frac{\alpha}{1-\alpha}} - 1$.*

4. *Total output and the capital stock grow at a constant rate, $g_Y^* = (1 + g_R^*)(1 + n) - 1$, which implies that the capital-output ratio is fixed.*

5. *The real interest rate, r_t , is constant.*

6. *Energy use grows at rate $g_M^* = \frac{1+g_R^*}{1+g_E^*} (1 + n) - 1 \geq 0$.*

7. *The expenditure shares of energy, capital, labor, R&D inputs, and profits are all constant. In particular, the expenditure share of energy is implicitly given by*

$$\theta_E^* = \frac{1+\eta_E(R_E^*)^{1-\lambda}}{\frac{1}{\alpha(1-\eta_S)} \left[\frac{\eta_E(R_E^*)^{-\lambda}}{\eta_N(1-R_E^*)^{-\lambda}} + \eta_E(R_E^*)^{-\lambda} - \eta_E(R_E^*)^{1-\lambda} \right] + 1 + \eta_E(R_E^*)^{1-\lambda}}.$$

Proof. The intuition is provided in the text, and a formal proof is provided in Appendix Section B.4. □

4.6 Comparison to Cobb-Douglas

As mentioned in the introduction, the standard approach in climate change economics is to treat energy as a Cobb-Douglas component of the aggregate production function (Nordhaus and Boyer, 2000; Golosov et al., 2014). The standard Cobb-Douglas production function is given by

$$Q_t^{CD} = A_t^{CD} K_t^\gamma E_t^\nu L_t^{1-\alpha-\nu},$$

where A_t^{CD} grows at an exogenous rate, g_{CD} . Since energy extraction costs $p_{E,t}$ units of the final good, final output is given by

$$Y_t^{CD} = \left(1 - \frac{\nu}{\tau}\right) A_t^{CD} K_t^\gamma E_t^\nu L_t^{1-\alpha-\nu}.$$

As a result, the energy expenditure share under Cobb-Douglas is given by

$$\theta_{E,t}^{CD} = \frac{\nu}{1 - \frac{\nu}{\tau}}.$$

In the absence of policy, the energy expenditure share is constant, matching the long-run elasticity of substitution between energy and non-energy inputs, but not the near-zero short-run elasticity of substitution. This has important implications for climate policy. In the Cobb-Douglas model, a tax on energy use – no matter how large – generates declines in energy use that are sufficient to leave the expenditure share essentially unchanged.³⁵

Since addressing climate change inherently involves long-run outcomes, it has been posited that the Cobb-Douglas approach may provide accurate predictions about the reaction of energy use to policy interventions over the relevant time frame, even though it cannot match short-run responses (Golosov et al., 2014). The analytical results from Section 4.5, however, cast doubt on this assertion. The putty-clay model of directed technical change matches both the short- and long-run elasticities, suggesting that it will more accurately predict the effect of environmental taxes on energy use. This new model suggests that, in response to policy, energy use will not fall by enough to leave the expenditure share unchanged. In particular, the energy expenditure share will not be constant on the transition path, and the balanced growth level of the energy expenditure share may increase permanently in response to policy. Thus, there is good reason to expect that the Cobb-Douglas approach overestimates the decline in energy use following an environmental policy intervention. Section 6.2 quantifies the difference in predictions between the models.³⁶

³⁵In response to new energy taxes, there is actually a slight *decrease* in the energy expenditure share, which is due purely to the tax rebate. This effect is quantitatively unimportant.

³⁶In Appendix Section B.5, I explain the calibration procedure for Cobb-Douglas and describe the balanced growth path. I calibrate both models so that they have identical predictions for output and energy use in the absence of environmental taxes. Due to other differences between the models, especially the difference in market structure – monopolistic competition in the putty-clay model with directed technical change and perfect competition in the Cobb-Douglas model – predictions for interest rates and levels (though not growth rates) of consumption and capital differ between the models. Given that incentives for innovation are an important part of the difference between the two models, I maintain these differences in the quantitative analysis.

5 Calibration

5.1 External Parameters

I solve the model in 10 year periods. As discussed above, the consumer and non-energy production portions of the model are standard. Thus, I take several parameters from the existing literature. In particular, I follow [Goloso et al. \(2014\)](#) and set $\alpha = .35$, $\delta = 1$, $\sigma = 1$, and $\beta = .860$.³⁷ I assume that the economy starts without environmental policy. Thus, all taxes and subsidies can be thought of as relative to ‘business as usual’ case, which serves as the baseline.

In addition to standard neoclassical elements, the putty-clay model includes R&D and energy extraction. Thus, the parameters from these segments of the model cannot be taken from the existing literature. I calibrate them to aggregate U.S. data. Data sources and details can be found in [Appendix A](#). Due to limitations on energy expenditure data, I restrict attention to the period 1971-2014. For energy use, I use the consumption of primary energy across all sources.³⁸

Following the structure of the model, I calculate gross output, Q_t , as final output, Y_t , plus energy expenditure. I measure $A_{E,t} = Q_t/E_t$, yielding $g_E^* = 0.21$ on the BGP (2.0% annual growth). On the BGP, the growth rate of income per capita is given by $g_R^* = (1 + g_N^*)^{\frac{1}{1-\alpha}} - 1$. In the data, $g_R^* = 0.19$ (1.8% annual growth), which yields $g_N^* = 0.39$. The average energy expenditure share in the data is 8.5%, which I take to be the balanced growth level. In the data, $n = 0.10$.

Below, I calibrate the R&D sector of the model to match key BGP moments. The BGP is uninformative about research congestion, λ , which measures the trade-off between advances in overall productivity and energy efficiency. As a base value, I take $\lambda = 0.21$ from [Fried \(forthcoming\)](#), who also captures the congestion of moving research inputs from energy-related research to general purpose research, making it a natural starting point for the quantitative exercises presented here. I will also consider cases where $\lambda \in \{0, 0.105, 0.31\}$ for robustness.

5.2 R&D Calibration

The key R&D parameters remaining to be calibrated are the inherent efficiencies of each sector, η_N and η_E .³⁹ To calibrate them, it is also necessary to solve for R_E^* . To start, I re-write the research arbitrage equation in terms of observables,

$$\frac{1 + g_E^*}{1 + g_N^*} = \frac{\theta_E^* \eta_E}{\alpha \eta_N} \left(\frac{R_E^*}{1 - R_E^*} \right)^{-\lambda}. \quad (25)$$

³⁷I normalize $TFP_0 = E_0 = L_0 = 10$. This normalization simply sets the units of the analysis and has no effect on the quantitative results of the model. I also assume that the economy is on the BGP at time $t = 0$. Given the other parameters in the model, this yields $Y_0 = 93.50$, $K_0 = 8.25$, $p_{E,0} = 0.80$, $A_{E,0} = 10.15$, and $A_{N,0} = 909.03$.

³⁸The model abstracts from energy transformation, implying that primary and final-use energy use are the same. Due to limitations on the price data for final-use energy, the calibration focuses on primary energy.

³⁹An alternate approach would be to assume that $\eta_E = \eta_N$ and calibrate λ . Such an approach leads to a significantly higher value of λ (0.69). As shown below, this would greatly magnify the difference between the putty-clay and Cobb-Douglas approaches.

This equation has a natural interpretation. Monopolists must trade off the relative benefits and costs of investing in the two types of technology. The ratio $\frac{\theta_E^*}{\alpha}$ is a summary measure of the relative return to investment in energy efficiency. The energy expenditure share, θ_E^* , captures the benefit to energy efficiency improvements. Meanwhile, α gives the fraction of increased final output that will be paid to capital good producers. The remaining terms on the right-hand side capture the inverse of relative costs – i.e. research efficiencies – of investing in the two types of technology, which are determined by inherent productivity and the degree of congestion.⁴⁰ To complete the R&D calibration, I add the following two equations,

$$g_E^* = \eta_E (R_E^*)^{1-\lambda}, \quad (26)$$

$$g_N^* = \eta_N (1 - R_E^*)^{1-\lambda}, \quad (27)$$

which ensure that rates of technological progress match their values in the data.

Taking the ratio of (26) and (27) and substituting into (25) yields

$$\frac{R_E^*}{1 - R_E^*} = \frac{g_E^*}{1 + g_E^*} \frac{1 + g_N^* \frac{\theta_E^*}{\alpha}}{g_N^*}, \quad (28)$$

which captures the equilibrium relationship between research allocation and growth rates on the BGP. As expected, there is a positive relationship between R_E^* and both g_E^* and θ_E^* . All of the variables on the right-hand side are observable and imply that 13.3% of research expenditure is spent improving the energy efficiency of capital goods. This result is independent of the level of research congestion, λ , and inherent efficiencies, $\{\eta_E, \eta_N\}$.⁴¹ Intuitively, the structure of the model implies that investment in energy efficiency must be relatively low because both the incentive for R&D in energy efficiency – captured by the ratio of expenditure shares – and the relative growth rate of energy efficient technology – captured by the remaining two terms – are low.

To solve for the research efficiencies, I first consider the ratio of (26) and (27), which yields

$$\frac{\eta_E}{\eta_N} = \frac{g_E^*}{g_N^*} \left(\frac{1 - R_E^*}{R_E^*} \right)^{1-\lambda}. \quad (29)$$

Since the growth rate of energy efficient technology is large relative to the research allocation, it must be the case that the inherent efficiency of this type of research is high. In particular, applying

⁴⁰Hassler et al. (2016b) identify a similar relationship between equilibrium growth rates and the expenditure share of energy when considering a social planner solution with a general CES production function and a finite set of energy resources that can be extracted from the environment without cost. In their framework, the long-run equilibrium must also conform to the social planner's optimal depletion condition for the energy resource. This pins down the long-run expenditure share and technology growth rates. Since energy use is currently rising, the data suggests that the BGP conditions are not met in the Hassler et al. (2016b) world, leading to the prediction that the energy expenditure share will increase and consumption growth will decrease in the long run.

⁴¹Unfortunately, existing data sources do not separate expenditure by different characteristics of the same good, making it difficult to compare this result to existing evidence.

the results found above yields $\frac{\eta_E}{\eta_N} = 2.42$.⁴² To complete the calibration, I plug R_E^* into equation (27) to find $\eta_N = 0.44$ and then use (29) to find $\eta_E = 1.05$.

5.3 Energy Sector Calibration

To calibrate the energy sector parameters, I start by noting that, on the BGP, both cumulative and per period energy use grow at a constant rate, g_M^* . The most important parameter for the energy sector is ι , which captures the rate at which growth in energy use translates into growth in energy prices,

$$\iota = \frac{\ln(1 + g_E^*)}{\ln(1 + g_M^*)}. \quad (30)$$

In the model, environmental policy will decrease energy use, which in turn lowers the price of energy and the incentive for energy efficient research. The size of this effect depends directly on ι . In the data, energy efficiency grows significantly faster than energy use, which leads to an estimate of $\iota = 2.31$.

Next, to ensure that the economy starts in a steady state, it must be the case that total extracted energy grows at a constant rate. Thus, I calculate the initial level of extracted energy as

$$\bar{E}_{-1} = g_M^*/E_0, \quad (31)$$

where \bar{E}_{-1} is the cumulative energy used prior to the first period. Conditional on ι , the ratio between the initial stock and the per period flow of energy use determines the degree to which energy prices fluctuate in response to policy-induced changes in energy use. If the stock of consumed energy is large, then per period energy use fluctuations will only have a small effect on extraction costs. The calibration yields $\bar{E}_{-1} = 114$ with per period energy use normalized to 10. As discussed in Section 6.2, the calibration implies that the endogenous price of energy plays a significant role in the quantitative outcomes, but not in the qualitative conclusions from comparing the putty-clay and Cobb-Douglas models.

Finally, ξ is a scale parameter calibrated to the starting price,

$$\xi = \frac{p_{E,0}}{\bar{E}_{-1}^\iota}. \quad (32)$$

Conditional on the other parameters, ξ simply reflects the normalization decisions. Values for all parameters are provided in Table 1.

⁴²Research efficiency could be greater in energy research for a number of reasons. Appendix Section B.6.1 provides a simple example where there is a greater diversity of research tasks necessary to improve non-energy technology.

Table 1: Parameters

Parameter	Value	Description	Source
α	.35	Capital share of income	Golosov <i>et al.</i> (2014)
δ	1	Depreciation	Golosov <i>et al.</i> (2014)
β	.860	Discount factor	Golosov <i>et al.</i> (2014)
σ	1	Inter-temporal substitution	Golosov <i>et al.</i> (2014)
n	0.10	Population growth	EIA
λ	0.21	Research congestion	Fried (forthcoming)
η_E	1.05	Research efficiency	Calibrated
η_N	0.44	Research efficiency	Calibrated
ι	2.31	Energy cost growth	Calibrated
ξ	$1.40 \cdot 10^{-5}$	Energy cost scale	Calibrated
\bar{E}_{-1}	114	Initial extracted energy	Calibrated

5.4 Solving the Model

Conditional on the price of energy, the model can be separated into three pieces: the R&D allocations, the standard neoclassical growth model with monopolistic competition, and the energy sector. The fact that innovation occurs in different characteristics of capital goods, rather than in different sectors, facilitates the solution of the model. In particular, equations (19) and (20) demonstrate that, conditional on the price of energy, the R&D allocations and technology growth rates can be solved independently of the consumer problem. To find the competitive equilibrium, I employ the following steps:⁴³

1. Guess a vector of energy prices.
2. Solve for productivity paths and R&D allocations using equations (8), (19), and (20), noting that all monopolists make identical research decisions.
3. Solve the neoclassical growth model conditional on the path of productivities using equations (B.29) – (B.35) in Appendix Section B.4.1.
4. Back out implied energy use and energy prices using equations (2), (4), and (5). This takes advantage of the fact that (3) holds with equality in all periods.
5. Check if the initial guess and resulting prices are the same. If they are, then consumers have made optimal decisions taking all future prices as given and the economy is in equilibrium.
6. If the economy is not in equilibrium, start from step 1 with a convex combination of initial guess and resulting prices.

⁴³In all quantitative applications, this procedure is sufficient to find a competitive equilibrium. I have not shown that such a procedure must converge to an equilibrium. In all cases, I use the BGP in the absence of energy taxes to generate the initial guess of energy prices.

6 Results

6.1 Long-Run Sustainability

Before using the calibrated model to investigate the impacts of policy, I briefly consider the implications for sustainable economic growth in the putty-clay model with directed technical change. I consider two different versions of sustainability and, in both cases, find results that are more optimistic than the existing literature. I first consider the more standard version of sustainability, which asks whether consumption growth can continue at current levels even as nonrenewable resources are depleted. The existing DTC literature focuses on the case of exhaustible resources and suggests that it is not possible to maintain current consumption levels ([André and Smulders, 2014](#); [Hassler et al., 2012, 2016b](#)). Energy use in the United States is currently increasing, which is not a long-run possibility when all resources are exhaustible. Thus, the models suggest that, in the long-run, energy use will eventually begin to decrease. Since energy and non-energy inputs are complements, this also implies that some research effort will be shifted towards energy efficiency, slowing growth in overall TFP and consumption.

In contrast, I consider the more empirically relevant case where the potential supply of energy is infinite, but can only be accessed at increasing and unbounded extraction costs. On the balanced growth path, improvements in energy efficiency fully offset increases in the extraction cost, implying that there is no need for energy use to decrease in the long run. Indeed, the model suggests that energy use is necessarily growing in the long run, absent policy intervention. As a result, there is no reason to expect that consumption growth will decrease in the long run, even as nonrenewable resources are depleted and the economy is forced to expend more resources for each unit of energy extracted.

The second notion of sustainability is more closely related to climate change. In particular, it asks whether policy intervention can prevent an ‘environmental disaster’ ([Acemoglu et al., 2012](#); [Lemoine, 2017](#)). In the context of climate change, an environmental disaster could be a high degree of warming that causes significant hardship to human beings. Thus, it is natural to think of energy as the polluting resource in this context. Existing work has focused on the substitution between clean and dirty sources of energy and found that disasters are inevitable when polluting and non-polluting are complements ([Acemoglu et al., 2012](#)). By contrast, [Section 4.5](#) demonstrates that environmental disasters can be avoided even in the case of perfect complementarity. This difference occurs because the model accounts for the fact that energy-augmenting technology is also energy-saving. In other words, it distinguishes between the polluting resource and the augmenting technology, which contributes to output but does not itself pollute.⁴⁴ [Acemoglu et al. \(2012\)](#), by contrast, focus on the case where technological advances contribute to the production of the

⁴⁴[Acemoglu et al. \(2012\)](#) note that an environmental disaster can be averted when pollution comes only from an exhaustible resource, and there is not enough of the resource to create a disaster. This is a statement about the potential for a disaster. As in the majority of their paper, I am concerned with whether policy can prevent a disaster than would occur under a laissez-faire approach.

polluting good. Thus, their formulation captures technologies that aid in the extraction of fossil fuels, but not in the energy efficiency of capital goods.

6.2 Energy Taxes

In this section, I examine the effect of energy taxes in the putty-clay model of directed technical change and compare the results to those in the standard Cobb-Douglas model. The time period in the model is ten years. All future policies are announced in the initial period, which I take as 2005 to match the stated objectives of international climate agreements. All policies take effect in 2015. The gap between the announcement and implementation of the policy allows one round of endogenous and directed technical change to occur before comparing the outcomes across the two models. If the policy were unexpected, the final good producer in the Cobb-Douglas model could react, whereas there would be no adjustment in the putty-clay model with directed technical change due to the Leontief structure.

To best understand the quantitative impacts of the new model of energy use developed in this paper, it is helpful to consider a realistic path of future energy taxes. Under the Paris Agreement on climate change, the United States aims to adopt policies consistent with an 80% reduction in carbon emissions by the year 2050, when compared to 2005 levels. I apply taxes such that half of this gain, a 40% reduction, comes from lower energy use.⁴⁵ The evidence in Figure 1 suggests that energy efficiency has been responsible for well more than half of past decreases in the carbon intensity of output.

As in Section 4.4, I consider a path of proportional energy taxes that grow at a constant rate,

$$\tau_t = 1 \cdot (1 + g_\tau)^{\frac{t-2005}{10}}. \quad (33)$$

To achieve the environmental goals given above, the putty-clay model with directed technical change requires $g_\tau = .36$.⁴⁶ When taking into account the general equilibrium effect of energy use on extraction costs, this yields a tax-inclusive energy price that is 273% higher than the laissez-faire level in 2055.

Figure 3 presents the results. In particular, it presents the paths of energy use, output, TFP, consumption, and the energy expenditure share from 2005 to 2115.⁴⁷ All outcomes are given as a fraction of the business as usual scenario. As expected, energy taxes simultaneously increase the energy expenditure share and decrease energy use. In other words, capital good producers have increased incentive to invest in energy efficiency, but the resulting improvement is insufficient to fully offset the increase in the price of energy. In this way, it is already apparent that the results will differ from those in the Cobb-Douglas model. By 2055, the economy experiences a 6.8% decrease in consumption and 3.5% decrease in TFP relative to the baseline. Energy use plummets

⁴⁵Since the model is solved in ten year periods, I choose taxes such that the 40% reduction occurs by 2055.

⁴⁶To find the minimum tax necessary to achieve the policy goal, I search with a 1% step size.

⁴⁷In empirical applications, taxes grow for 500 years and then remain constant.




Figure 3: This figure demonstrates the effect of energy taxes in the putty-clay model with directed technical change. Energy taxes are proportional to the price of energy and grow at a constant rate: $\tau_t = 1 \cdot (1 + g_\tau)^{\frac{t-2005}{10}}$, with $g_\tau = .36$. This level of taxation achieves a 40% reduction in energy in by 2055, compared to 2005 levels. All taxes are rebated to consumers in a lump sum fashion. All outcomes in the figure are given as a fraction of the outcomes in the baseline scenario, which has no energy taxation.

to 11% of baseline by 2115, one century after the policy is initially implemented. At the same time, consumption decreases by 20%, and TFP is 12.7% lower than in the business as usual scenario.

Figure 4 repeats the analysis for the standard Cobb-Douglas model with exogenous technological progress. The effect of policy in the Cobb-Douglas approach differs considerably from the putty-clay model with directed technical change. In this case, $g_\tau = 0.26$ is sufficient to achieve a 40% reduction in energy use by 2055. This leads to a tax-inclusive energy price that is 136% greater than baseline. To achieve the environmental policy priorities, consumption decreases by 2.1% in 2055 and 6.4% by 2115, relative to baseline. By 2115, energy use is 18.4% of baseline levels.

As expected, the energy share of expenditure is essentially unchanged in the Cobb-Douglas model.⁴⁸ Thus, energy use decreases by enough to fully offset the increase in energy prices. This can be seen in how quickly the Cobb-Douglas model responds to new taxes. In 2015, energy use decreases by almost 25% relative to the baseline, in comparison to a 10% decrease in the putty-clay model. This occurs even though the tax rate is lower in the Cobb-Douglas model.

Figure 5 provides a direct comparison of energy use and consumption in the two models when applying the same path of energy taxes, specifically those necessary to achieve environmental policy goals in the Cobb-Douglas model. Thus, the analysis quantifies the error that would occur if policy was designed with the Cobb-Douglas model, but the true economy was putty-clay with directed

⁴⁸The slight decrease in the energy expenditure share is due to the lump sum tax rebates. The expenditure share of energy in gross output is constant, but after taxes are implemented, a proportion of energy expenditure is rebated to consumers.




Figure 4: This figure demonstrates the effect of energy taxes in the standard Cobb-Douglas model with exogenous technological progress. Energy taxes are proportional to the price of energy and grow at a constant rate: $\tau_t = 1 \cdot (1 + g_\tau)^{\frac{t-2005}{10}}$, with $g_\tau = 0.26$. This level of taxation achieves a 40% reduction in energy in by 2055, compared to 2005 levels. All taxes are rebated to consumers in a lump sum fashion. All outcomes in the figure are given as a fraction of the outcomes in the baseline scenario, which has no energy taxation.

technical change. Energy use is measured as a fraction of the 2005 level, and consumption is measured relative to the baseline.⁴⁹

When applying the requisite taxes from the Cobb-Douglas model to the putty-clay model with directed technical change, energy use in 2055 declines by 25% when compared to 2005 levels, missing the environmental target by 15 percentage points. Forgone consumption is roughly twice as large in the putty-clay model. Despite the stated goals of policy, cumulative energy use is most important for long-run environmental outcomes. The difference in cumulative energy use between the two models is given by the area between the two energy use curves. Over the course of the century, cumulative energy use is 24% higher in the putty-clay model with directed technical change. These results further illuminate the important differences between the two models and demonstrate that policy designed for the Cobb-Douglas model would yield drastically different outcomes in a world more closely resembling the putty-clay model with directed technical change.

Figure B.1 in Appendix Section B.7 presents the results from several robustness exercises. As discussed in Section 5, the research congestion parameter, λ , was set exogenously. So, I consider several alternate values. Most importantly, in panel (a), I consider the limiting case without congestion, i.e., $\lambda = 0$. This minimizes the difference between the two models by making research input reallocation as effective as possible. The quantitative results still differ substantially between the two models. In particular, cumulative energy use with the putty-clay model is 11% greater by 2115, and the putty-clay model misses the policy goal by 5 percentage points. Panel (b) considers

⁴⁹Given the difference in market structure, the baseline level of consumption, but not the growth rate of consumption, differs in the two models.




Figure 5: This figure demonstrates the difference between the putty-clay model of directed technical change and the standard Cobb-Douglas model with exogenous technological progress. Energy taxes are proportional to the price of energy and grow at a constant rate: $\tau_t = 1 \cdot (1 + g_\tau)^{\frac{t-2015}{10}}$, with $g_\tau = 0.26$. In the Cobb-Douglas model with exogenous technical change, this level of taxation achieves a 40% reduction in energy use by 2055, compared to 2005 levels. All taxes are rebated to consumers in a lump sum fashion. Energy use is measured as a fraction of 2005 levels. Consumption is measured relative to the baseline, which does not include energy taxes. The baseline level of consumption differs in the two models.

the case of $\lambda = .105$, which splits the difference between the baseline and most conservative estimates. Cumulative energy use is 17% greater by 2115 with the putty-clay model, and applying the Cobb-Douglas tax rates causes the model to miss the policy target by 9.6 percentage points in 2055. Naturally, the differences are magnified with considering greater values of λ . In particular, cumulative energy use is 32% higher by 2115 and the policy target is missed by 22 percentage points in the putty-clay model when $\lambda = 0.31$, as demonstrated in panel (c).

The model was calibrated to the United States. As noted in Section 4.1.2, the fact that energy prices are fully endogenous can be motivated in two ways. First, we can think of the U.S. as a closed economy. Second, we can think of policy being applied to the whole world, with the US making up a constant fraction of total energy use. To ensure that the assumption of fully endogenous energy prices is not driving the results, I consider the case where the price of energy is exogenous and grows at the steady state rate. This captures the scenario where the U.S. is a small open economy taking unilateral action to lessen energy use. The results are presented in panel (d). In this case, cumulative energy use is 38% higher in the putty-clay model by 2115 and the policy target is missed by 26 percentage points. Thus, taking energy prices as fully endogenous is a conservative approach that lessens the difference between the putty-clay and Cobb-Douglas models. Moreover, the Cobb-Douglas model only requires energy taxes to grow at $g_\tau = 0.18$ to meet the policy target, implying that the general equilibrium reaction of energy prices is quantitatively important.

6.3 Research Subsidies

Many policy makers are in favor of policy approaches, such as research subsidies or energy efficiency mandates, that try to reduce energy use without raising prices (Gillingham et al., 2009; Allcott and Greenstone, 2012).⁵⁰ A large academic literature, however, suggests that rebound effects will undermine the effectiveness of these approaches (Gillingham, 2014; Gillingham et al., 2016). Rebound occurs when economic behavior following improvements in energy efficiency leads to increases in energy use, at least partially undoing the initial reduction. Existing work attempts to indirectly gauge the effectiveness of such policies by measuring the degree of rebound. Using the putty-clay model of directed technical change, however, I can address the broader motivating question and directly analyze the impact of such policies on long-run energy use.

Figure 6 presents the results. Panel (a) considers a single period research subsidy of 73% in 2015. This is analogous to the setting in most of the existing literature, which examines one-off efficiency improvements. In the short-run, energy use decreases considerably, which is unsurprising given the low short-run elasticity of substitution between energy and non-energy inputs. Over time, however, energy use catches back up with the baseline. By the end of the century, energy use is actually higher than in the business as usual case. This is known as ‘backfire’ in the literature. Long-run energy use is identical to the laissez-faire case. In the literature, this is known as ‘full rebound’ (Wei, 2010). Intuitively, full rebound occurs because one-off policy interventions do not change the long-run incentives of capital good producers. Thus, when energy efficiency increases in the short-run, the incentive for further investment in energy-saving technology decreases, and the economy converges back to the original BGP.

In terms of environmental policy goals, this result is more pessimistic than the existing macroeconomic literature, which suggests less than full rebound (Gillingham et al., 2016), but does not consider the potential for contemporary efficiency improvements to alter research incentives.⁵¹ At the same time, the transition path is long. As a result, energy efficiency policies may serve as useful complements to other policy interventions by delaying fossil energy use.

While the existing literature generally focuses on one-off shocks in order to estimate the degree of rebound, there is no particular reason why attempts to reduce long-run energy use would be constrained to temporary interventions. In panel (b), I consider a permanent subsidy of 73% to energy efficiency research. This subsidy is sufficient to achieve the 40% reduction in energy use discussed in the previous section.

Unlike the case of a single period research subsidy, permanent interventions reduce long-run energy use relative to a business as usual scenario. As demonstrated theoretically in Section 4.5, however, R&D subsidies are not sufficient to generate absolute long-run declines in energy use. Intuitively, the initial reduction in energy use again lowers the incentive for future investments

⁵⁰In the putty-clay model of directed technical change, all innovation occurs in different characteristics of capital goods. Thus, research subsidies and efficiency mandates are equivalent. In particular, for any given subsidy, there is an equivalent energy efficiency mandate that yields the same research allocation.

⁵¹Recent work by Lemoine (2016) also suggests a higher potential for backfire by considering the general equilibrium response of prices to efficiency improvements.




Figure 6: The effects of research subsidies on energy use. *Panel A* demonstrates the effects of a single period research subsidy of 73%. *Panel B* demonstrates the effects of a permanent subsidy of 73%. This policy achieves a 40% reduction in energy use by 2055, compared to 2005 levels. *E flow* refers to per period energy use. *E stock* refers to cumulative energy use since 2015, the first year the policy takes effect.

in energy efficient technology. Since the subsidy is permanent, however, the return to investing in energy-saving technology is greater than the in the laissez-faire case for any given energy expenditure share. Thus, the economy converges to a BGP with a lower energy expenditure share, which translates to a lower level of energy use. Still, the logic of the model implies that, for a fixed level of taxes and subsidies, the growth rate of energy use is positive and constant in the long run. Given the need to decrease total carbon emissions in order to avoid dangerous levels of warming, it appears that taxes, or other policies that increase the effective price of energy, are a necessary component of mitigation policies.

7 Conclusion

Economic analysis of climate change has benefited substantially from the study of growth models (e.g., Nordhaus, 1993, 2014). This paper contributes to this ongoing effort by focusing on the demand for energy coming from final good production, a crucial margin for climate change mitigation policy. In particular, I develop a putty-clay model of directed technical change that can explain both short- and long-run patterns of energy use in the U.S. By contrast, much of the existing literature either abstracts from energy use (e.g., Nordhaus, 1993, 2014) or uses a Cobb-Douglas approach that cannot replicate the same facts (e.g., Nordhaus and Boyer, 2000; Golosov et al., 2014). At the same time, the existing literature on directed technical change and the environmental focuses on substitution between energy sources (e.g., Acemoglu et al., 2012) or on the efficiency of the energy sector (e.g., André and Smulders, 2014), rather than the energy efficiency of final good production.

I use the new putty-clay model to conduct three policy exercises. In my primary exercise, I find that policy conclusions based on the standard Cobb-Douglas likely overestimate policy-induced reductions in energy use. In a second analysis, I find that innovation-driven rebound effects will

prevent policies like R&D subsidies from generating long-run declines in energy use, highlighting the need for policies that increase effective prices. Finally, I turn to asking an older environmental policy question: how does the presence of non-renewable resources affect the potential for sustained economic growth? By combining energy-saving technical change and increasing extraction costs, I find results that are more optimistic than the existing literature.

There are several possible extensions that would provide important insights into environmental policy questions. Adding a third margin of technological investment in clean versus dirty energy sources would make it possible to gain a more complete understanding of the effect of carbon taxes on emissions. Combined with a model of the carbon cycle, such an analysis could yield updates to existing estimates of optimal carbon taxes and the social cost of carbon. It would also allow for the comparison of second-best policies. For example, it would be interesting to compare subsidies for renewable energy, which would limit the incentive to improve energy efficiency, and energy taxes, which provide no incentive to invest in clean energy sources.

Another extension would be to expand the geographic scope. The analyses presented here focus on a single economy, but there are important implications for a multi-region world. In particular, existing work with exogenous technological progress suggest that unilateral policy actions among rich countries will have small impacts on overall carbon emissions ([Nordhaus, 2010](#)). In a world with endogenous technological progress and diffusion or trade, however, unilateral policies would improve worldwide energy efficiency, leading to greater environmental benefit ([Di Maria and Van der Werf, 2008](#); [Hémous, 2016](#)). This magnifies the difference with the standard Cobb-Douglas approach, where substitution of capital for energy in one country would have no direct impact on other countries. The positive implications of these international spillovers could potentially outweigh the more pessimistic conclusions that result from considering the putty-clay model with directed technical change.

References

- ACEMOGLU, D. (1998): “Why do new technologies complement skills? Directed technical change and wage inequality,” *Quarterly Journal of Economics*, 1055–1089.
- ACEMOGLU, D. (2002): “Directed technical change,” *Review of Economic Studies*, 69, 781–809.
- ACEMOGLU, D., P. AGHION, L. BURSZTYN, AND D. HEMOUS (2012): “The environment and directed technical change,” *American Economic Review*, 102, 131–66.
- ACEMOGLU, D., U. AKCIGIT, D. HANLEY, AND W. KERR (2016): “Transition to clean technology,” *Journal of Political Economy*, 124, 52–104.
- AGHION, P., A. DECHEZLEPRÊTRE, D. HÉMOUS, R. MARTIN, AND J. VAN REENEN (2016): “Carbon taxes, path dependency, and directed technical change: Evidence from the auto industry,” *Journal of Political Economy*, 124, 1–51.
- ALLCOTT, H. (2011): “Rethinking real-time electricity pricing,” *Resource and Energy Economics*, 33, 820–842.
- ALLCOTT, H. AND M. GREENSTONE (2012): “Is there an energy efficiency gap?” *Journal of Economic Perspectives*, 26, 3–28.
- ANDERSON, S. T., R. KELLOGG, AND S. W. SALANT (2014): “Hotelling under pressure,” *NBER Working Paper 20280*.
- ANDRÉ, F. J. AND S. SMULDERS (2014): “Fueling growth when oil peaks: Directed technological change and the limits to efficiency,” *European Economic Review*, 69, 18–39.
- ANTHOFF, D. AND R. S. TOL (2014): “The Climate Framework for Uncertainty, Negotiation and Distribution (FUND), technical description, version 3.8.” *Working Paper*.
- ATKESON, A. AND P. J. KEHOE (1999): “Models of energy use: Putty-putty versus putty-clay,” *American Economic Review*, 89, 1028–1043.
- BARKER, T., A. DAGOUMAS, AND J. RUBIN (2009): “The macroeconomic rebound effect and the world economy,” *Energy Efficiency*, 2, 411.
- BARRAGE, L. (2014): “Optimal dynamic carbon taxes in a climate-economy model with distortionary fiscal policy,” *Working Paper*.
- BAUMEISTER, C. AND L. KILIAN (2016): “Forty years of oil price fluctuations: Why the price of oil may still surprise us,” *Journal of Economic Perspectives*, 30, 139–160.
- BORENSTEIN, S. ET AL. (2015): “A microeconomic framework for evaluating energy efficiency rebound and some implications,” *Energy Journal*, 36, 1–21.
- BOSETTI, V., C. CARRARO, M. GALEOTTI, E. MASSETTI, AND M. TAVONI (2006): “A world induced technical change hybrid model,” *Energy Journal*.

- CALEL, R. AND A. DECHEZLEPRETRE (2016): “Environmental policy and directed technological change: Evidence from the European carbon market,” *Review of Economics and Statistics*, 98, 173–191.
- CALVO, G. A. (1976): “Optimal growth in a putty-clay model,” *Econometrica*, 867–878.
- CASS, D. AND J. E. STIGLITZ (1969): “The implications of alternative saving and expectations hypotheses for choices of technique and patterns of growth,” *Journal of Political Economy*, 586–627.
- COVERT, T., M. GREENSTONE, AND C. R. KNITTEL (2016): “Will we ever stop using fossil fuels?” *Journal of Economic Perspectives*, 30, 117–137.
- CRASSOUS, R., J.-C. HOURCADE, AND O. SASSI (2006): “Endogenous structural change and climate targets modeling experiments with Imaclim-R,” *Energy Journal*, 259–276.
- DECHEZLEPRÊTRE, A., M. GLACHANT, I. HAŠČIČ, N. JOHNSTONE, AND Y. MÉNIÈRE (2011): “Invention and transfer of climate change–mitigation technologies: A global analysis,” *Review of Environmental Economics and Policy*, 5, 109–130.
- DI MARIA, C. AND S. VALENTE (2008): “Hicks meets Hotelling: The direction of technical change in capital–resource economies,” *Environment and Development Economics*, 13, 691–717.
- DI MARIA, C. AND E. VAN DER WERF (2008): “Carbon leakage revisited: Unilateral climate policy with directed technical change,” *Environmental and Resource Economics*, 39, 55–74.
- FOWLIE, M., M. GREENSTONE, AND C. WOLFRAM (2015): “Do energy efficiency investments deliver? Evidence from the weatherization assistance program,” *NBER Working Paper No. 21331*.
- FRIED, S. (forthcoming): “Climate policy and innovation: A quantitative macroeconomic analysis,” *American Economic Journal: Macroeconomics*.
- GANS, J. S. (2012): “Innovation and climate change policy,” *American Economic Journal: Economic Policy*, 125–145.
- GILLINGHAM, K. (2014): “Rebound effects,” *The New Palgrave Dictionary of Economics*.
- GILLINGHAM, K., R. G. NEWELL, AND K. PALMER (2009): “Energy efficiency economics and policy,” *Annual Review of Resource Economics*, 1, 597–620.
- GILLINGHAM, K., D. RAPSON, AND G. WAGNER (2015): “The rebound effect and energy efficiency policy,” *Working Paper*.
- GILLINGHAM, K., D. RAPSON, AND G. WAGNER (2016): “The Rebound Effect and Energy Efficiency Policy,” *Review of Environmental Economics and Policy*, 10, 68–88.
- GOLOSOV, M., J. HASSLER, P. KRUSELL, AND A. TSYVINSKI (2014): “Optimal taxes on fossil fuel in general equilibrium,” *Econometrica*, 82, 41–88.

- GOULDER, L. H. AND K. MATHAI (2000): “Optimal CO_2 abatement in the presence of induced technological change,” *Journal of Environmental Economics and Management*, 39, 1–38.
- GOULDER, L. H. AND S. H. SCHNEIDER (1999): “Induced technological change and the attractiveness of CO_2 abatement policies,” *Resource and Energy Economics*, 21, 211–253.
- GRIMAUD, A. AND L. ROUGE (2008): “Environment, directed technical change and economic policy,” *Environmental and Resource Economics*, 41, 439–463.
- HAMILTON, J. D. (2012): “Oil prices, exhaustible resources, and economic growth,” *NBER Working Paper 17759*.
- HART, R. (2004): “Growth, environment and innovation – a model with production vintages and environmentally oriented research,” *Journal of Environmental Economics and Management*, 48, 1078–1098.
- HART, R. (2008): “The timing of taxes on CO_2 emissions when technological change is endogenous,” *Journal of Environmental Economics and Management*, 55, 194–212.
- HART, R. (2013): “Directed technological change and factor shares,” *Economics Letters*, 119, 77–80.
- HART, R. AND D. SPIRO (2011): “The elephant in Hotelling’s room,” *Energy Policy*, 39, 7834–7838.
- HASSLER, J., P. KRUSELL, AND J. NYCANDER (2016a): “Climate policy,” *Economic Policy*, 31, 503–558.
- HASSLER, J., P. KRUSELL, AND C. OLOVSSON (2012): “Energy-saving technical change,” *NBER Working Paper No. 18456*.
- HASSLER, J., P. KRUSELL, AND C. OLOVSSON (2016b): “Directed technical change as a response to natural-resource scarcity,” *Working Paper*.
- HEAL, G. (1976): “The relationship between price and extraction cost for a resource with a backstop technology,” *Bell Journal of Economics*, 371–378.
- HÉMOUS, D. (2016): “The dynamic impact of unilateral environmental policies,” *Journal of International Economics*, 103, 80–95.
- HOPE, C. (2011): “The PAGE09 integrated assessment model: A technical description,” *Working Paper*.
- HOTELLING, H. (1931): “The economics of exhaustible resources,” *Journal of Political Economy*, 137–175.
- JAFFE, A. B., R. G. NEWELL, AND R. N. STAVINS (2003): “Technological change and the environment,” *Handbook of Environmental Economics*, 1, 461–516.
- JESOE, K. AND D. RAPSON (2014): “Knowledge is (less) power: Experimental evidence from residential energy use,” *American Economic Review*, 104, 1417–1438.

- JOHANSEN, L. (1959): "Substitution versus fixed production coefficients in the theory of economic growth: A synthesis," *Econometrica*, 157–176.
- LEMOINE, D. (2016): "General equilibrium rebound from energy efficiency policies," *Working Paper*.
- LEMOINE, D. (2017): "Innovation-led transitions in energy supply," *Working Paper*.
- LIN, C.-Y. C. AND G. WAGNER (2007): "Steady-state growth in a Hotelling model of resource extraction," *Journal of Environmental Economics and Management*, 54, 68–83.
- METCALF, G. E. (2008): "An empirical analysis of energy intensity and its determinants at the state level," *Energy Journal*, 1–26.
- MORRIS, J., S. PALTSEV, AND J. REILLY (2012): "Marginal abatement costs and marginal welfare costs for greenhouse gas emissions reductions: Results from the EPPA model," *Environmental Modeling & Assessment*, 17, 325–336.
- NEWELL, R. G., A. B. JAFFE, AND R. N. STAVINS (1999): "The induced innovation hypothesis and energy-saving technological change," *Quarterly Journal of Economics*, 941–975.
- NORDHAUS, W. (2014): "Estimates of the social cost of carbon: Concepts and results from the DICE-2013R model and alternative approaches," *Journal of the Association of Environmental and Resource Economists*, 1, 273–312.
- NORDHAUS, W. D. (1993): "Optimal greenhouse-gas reductions and tax policy in the "DICE" model," *American Economic Review*, 83, 313–317.
- NORDHAUS, W. D. (2010): "Economic aspects of global warming in a post-Copenhagen environment," *Proceedings of the National Academy of Sciences*, 107, 11721–11726.
- NORDHAUS, W. D. (2013): *The climate casino: Risk, uncertainty, and economics for a warming world*, Yale University Press.
- NORDHAUS, W. D. AND J. BOYER (2000): *Warming the world: Economic models of global warming*, MIT press.
- PERETTO, P. F. (2008): "Effluent taxes, market structure, and the rate and direction of endogenous technological change," *Environmental and Resource Economics*, 39, 113–138.
- PERETTO, P. F. AND S. VALENTE (2015): "Growth on a finite planet: Resources, technology and population in the long run," *Journal of Economic Growth*, 20, 305–331.
- PINDYCK, R. S. (1978): "The optimal exploration and production of nonrenewable resources," *Journal of Political Economy*, 841–861.
- PINDYCK, R. S. (1999): "The long-run evolution of energy prices," *Energy Journal*, 1–27.
- PINDYCK, R. S. AND J. J. ROTEMBERG (1983): "Dynamic factor demands and the effects of energy price shocks," *American Economic Review*, 73, 1066–1079.

- POPP, D. (2002): “Induced innovation and energy prices,” *American Economic Review*, 92, 160–180.
- POPP, D. (2004): “ENTICE: Endogenous technological change in the DICE model of global warming,” *Journal of Environmental Economics and Management*, 48, 742–768.
- POPP, D., R. G. NEWELL, AND A. B. JAFFE (2010): “Energy, the environment, and technological change,” *Handbook of the Economics of Innovation*, 2, 873–937.
- RICCI, F. (2007): “Environmental policy and growth when inputs are differentiated in pollution intensity,” *Environmental and Resource Economics*, 38, 285–310.
- ROGNER, H.-H. (1997): “An assessment of world hydrocarbon resources,” *Annual Review of Energy and the Environment*, 22, 217–262.
- ROGNER, H.-H., L. A. LA, R. F. AGUILERA, C. L. ARCHER, R. BERTANI, S. BHATTACHARYA, M. B. DUSSEAULT, L. GAGNON, H. HABERL, ET AL. (2012): “Energy Resources and Potentials,” in *Global energy assessment: Toward a sustainable future*, ed. by T. B. Johansson, A. P. Patwardhan, N. Nakićenović, and L. Gomez-Echeverri, Cambridge University Press.
- SLADE, M. E. (1982): “Trends in natural-resource commodity prices: An analysis of the time domain,” *Journal of Environmental Economics and Management*, 9, 122–137.
- SMULDERS, S. AND M. DE NOOIJ (2003): “The impact of energy conservation on technology and economic growth,” *Resource and Energy Economics*, 25, 59–79.
- SOLOW, R. M. (1962): “Substitution and fixed proportions in the theory of capital,” *Review of Economic Studies*, 29, 207–218.
- SOLOW, R. M. AND F. Y. WAN (1976): “Extraction costs in the theory of exhaustible resources,” *Bell Journal of Economics*, 359–370.
- SORRELL, S. ET AL. (2007): “The Rebound Effect: an assessment of the evidence for economy-wide energy savings from improved energy efficiency,” *Report for the UK Energy Research Center*.
- SUE WING, I. (2003): “Induced technical change and the cost of climate policy,” *MIT Joint Program on the Science and Policy of Global Change Report No. 102*.
- SUE WING, I. (2008): “Explaining the declining energy intensity of the US economy,” *Resource and Energy Economics*, 30, 21–49.
- TURNER, K. (2009): “Negative rebound and disinvestment effects in response to an improvement in energy efficiency in the UK economy,” *Energy Economics*, 31, 648–666.
- VAN DER PLOEG, F. AND C. WITHAGEN (2012): “Too much coal, too little oil,” *Journal of Public Economics*, 96, 62–77.
- VAN DER WERF, E. (2008): “Production functions for climate policy modeling: An empirical analysis,” *Energy Economics*, 30, 2964–2979.

WEI, T. (2010): “A general equilibrium view of global rebound effects,” *Energy Economics*, 32, 661–672.

WEYANT, J. (2017): “Some contributions of integrated assessment models of global climate change,” *Review of Environmental Economics and Policy*, 11, 115–137.

A Data Appendix

A.1 Figure 1

Primary Energy (E_p). Total energy extracted from the environment (i.e., production) plus net imports. For renewables used in electricity generation, production is equal to electricity generated. Measured in kilotonnes of oil equivalent (ktoe). Data available from 1971-2014. Source: ‘IEA Headline Energy Data’ at <http://www.iea.org/statistics/topics/energybalances/>.

Final-Use Energy (E_f). Total energy consumption: total primary energy minus losses occurring during transformation and energy industry own use. Measured in ktoe. Data available from 1971-2014. Source: ‘IEA Headline Energy Data’ at <http://www.iea.org/statistics/topics/energybalances/>.

Carbon Dioxide Emissions (CO_2). Carbon dioxide emissions from fuel combustion. Measured in megatonnes (Mt). Data available from 1971-2014. Source: ‘IEA Headline Energy Data’ at <http://www.iea.org/statistics/topics/energybalances/>.

Real GDP (Y). Real gross domestic product in 2009 chained dollars. Data available from 1929-2015. Source: NIPA Table Section 1. Accessed via ‘Table D1: Population, U.S. gross domestic product, and implicit price deflator, 1949– 2011’ at <https://www.eia.gov/totalenergy/data/annual/>.

A.2 Figure 2

Energy Expenditure Share ($Eshare$). Energy expenditure as a share of GDP (%). Data available from 1970–2014. Source: ‘Table 1.5: Energy consumption, expenditures, and emissions indicators estimates, 1949–2011’ at <https://www.eia.gov/totalenergy/data/annual/>.

Energy Intensity of Output (E/Y). Total primary energy consumption per real dollar of GDP. Measured in thousand Btu per chained (2009) dollar. Data available from 1949–2016. Source: ‘Table 1.5: Energy consumption, expenditures, and emissions indicators estimates, 1949–2011’ at <https://www.eia.gov/totalenergy/data/annual/>.

Nominal Energy Expenditure. Energy expenditure in millions of nominal dollars. Data available from 1970–2014. Source: ‘Table 1.5: Energy consumption, expenditures, and emissions indicators estimates, 1949–2011’ at <https://www.eia.gov/totalenergy/data/annual/>.

Primary Energy Consumption. Total Primary Energy Consumption. Measured in Quadrillion Btu. Data available from 1949–2016. Source: ‘Table 1.5: Energy consumption, expenditures, and

emissions indicators estimates, 1949–2011’ at <https://www.eia.gov/totalenergy/data/annual/>.

GDP Price Deflator. U.S. GDP implicit price deflator with base year 2009. Data available from 1929–2015. Source: NIPA Table Section 1. Accessed via ‘Table D1: Population, U.S. gross domestic product, and implicit price deflator, 1949– 2011’ at <https://www.eia.gov/totalenergy/data/annual/>.

Real Energy Price. Average real price of primary energy in 2009 chained dollars. Author’s calculations: Nominal Energy Expenditure divided by Primary Energy Consumption divided by GDP Price Deflator.

A.3 Calibration

See above for details regarding **Real GDP**, **Primary Energy Consumption** (from figure 2), and the **Energy Expenditure Share**.

Population. Total resident population of the United States. Accessed via ‘Table D1: Population, U.S. gross domestic product, and implicit price deflator, 1949– 2011’ at <https://www.eia.gov/totalenergy/data/annual/>.

Gross Output. Author’s calculations. Using the structure of the model, gross output is calculated as: $Y / \left(1 - \frac{E_{share}}{1 + E_{share}}\right)$.

Energy Efficiency. Author’s calculations: Gross Output / Primary Energy Consumption.

B Online Appendix

B.1 Final Good Producer Problem

In this section, I derive the inverse demand functions (13) and (14). Consider the maximization of (2) subject to (3) with $v_t(i)$ as the Lagrange multiplier attached to capital good i ,

$$\begin{aligned} \mathcal{L} = & \int_0^1 A_{E,t}(i)E_t(i)di - w_tL_t - \int_0^1 p_{X,t}(i)X_t(i)di - \tau_t p_{E,t} \int_0^1 E_t(i)di \\ & - \int_0^1 v_t(i) [A_{E,t}(i)E_t(i) - (A_{N,t}(i)X_t(i))^\alpha L_t^{1-\alpha}] di. \end{aligned} \quad (\text{B.1})$$

Complementary slackness implies

$$v_t(i) [A_{E,t}(i)E_t(i) - (A_{N,t}(i)X_t(i))^\alpha L_t^{1-\alpha}] = 0 \quad \forall i. \quad (\text{B.2})$$

I focus on the case where the constraint is always binding. This will necessarily be true in the empirical exercise, because $\delta = 1$ is a sufficient, but not necessary, condition for the constraint to bind. The first order conditions with respect to $E_t(i)$, $X_t(i)$, and L_t are given by:

$$v_t(i) = 1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}, \quad (\text{B.3})$$

$$v_t(i) = \frac{p_{X,t}(i)}{\alpha A_{N,t}^\alpha(i) L_t^{1-\alpha} X_t(i)^{\alpha-1}}, \quad (\text{B.4})$$

$$w_t = \int_0^1 v_t(i) (1 - \alpha) A_{N,t}^\alpha(i) L_t^{-\alpha} X_t(i)^\alpha di. \quad (\text{B.5})$$

Substituting (B.4) and (B.5) into (B.3), respectively, and multiplying through yields

$$p_{X,t}(i) = \alpha A_{N,t}(i)^\alpha \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)} \right] L_t^{1-\alpha} X_t(i)^{\alpha-1}, \quad (\text{B.6})$$

$$w_t = (1 - \alpha) \int_0^1 \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)} \right] L_t^{-\alpha} (A_{N,t}(i) X_t(i))^\alpha di. \quad (\text{B.7})$$

Thus, we have arrived at equations (13) and (14) from the text. A key result is that inverse demand is iso-elastic, which allows for simple closed form solutions. This is shown in the next section.

B.2 Monopolist Problem

The monopolist maximizes profits subject to demand and research productivity constraints:

$$\max \pi_{X,t}(i) = p_{X,t}(i)X_t(i) - r_t X(i) - (1 - \eta_t^S) p_{E,t}^R R_E(i) - p_{N,t}^R R_N(i) \quad (\text{B.8})$$

$$(\text{B.9})$$

subject to

$$p_{X,t}(i) = \alpha A_{N,t}(i)^\alpha \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}\right] L_t^{1-\alpha} X_t(i)^{\alpha-1}, \quad (\text{B.10})$$

$$A_{J,t}(i) = [1 + \eta_J R_{J,t}(i) R_{J,t}^{-\lambda}] A_{J,t-1}, \quad J \in \{N, E\}, \quad (\text{B.11})$$

$$R_{J,t}(i) \in [0, 1], \quad J \in \{N, E\}. \quad (\text{B.12})$$

In equilibrium, the research allocation must be interior due to the congestion effects. Thus, I ignore the last constraint for the remainder of this section. First, substitute (B.10) into (B.8) and take the first order condition with respect to $X(i)$. Constraint (B.11) is independent of the production level, $X_t(i)$. Hence, the model yields the standard first order conditions and results, adjusted for the effective cost of energy:

$$r_t = \alpha^2 A_{N,t}(i)^\alpha \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}\right] L_t^{1-\alpha} X_t(i)^{\alpha-1}, \quad (\text{B.13})$$

$$X_t(i) = \alpha^{\frac{2}{1-\alpha}} r_t^{-\frac{1}{1-\alpha}} A_{N,t}(i)^{\frac{\alpha}{1-\alpha}} L_t \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}\right]^{\frac{1}{1-\alpha}}, \quad (\text{B.14})$$

$$p_{X,t}(i) = \frac{1}{\alpha} r_t. \quad (\text{B.15})$$

Next, to find optimal profits, we can re-write the monopolist problem after substituting in results we have found so far:

$$\max \pi_{X,t}(i) = \tilde{\alpha} r_t^{-\frac{\alpha}{1-\alpha}} A_{N,t}(i)^{\frac{\alpha}{1-\alpha}} L_t \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}\right]^{\frac{1}{1-\alpha}} - (1 - \eta_t^S) p_{E,t}^R R_{E,t}(i) - p_{N,t}^R R_{N,t}(i) \quad (\text{B.16})$$

subject to

$$A_{J,t}(i) = [1 + \eta_J R_{J,t}(i) R_{J,t}^{-\lambda}] A_{J,t-1}, \quad J \in \{N, E\}, \quad (\text{B.17})$$

where $\tilde{\alpha} = (\frac{1}{\alpha} - 1) \alpha^{\frac{2}{1-\alpha}}$. Let κ_J be the Lagrange multiplier for constraint (B.17). The first order conditions for technology levels and research scientist allocations yield

$$p_{N,t}^R = \kappa_N A_{N,t-1} R_{N,t}^{-\lambda}, \quad (\text{B.18})$$

$$(1 - \eta_t^S) p_{E,t}^R = \kappa_E A_{E,t-1} R_{E,t}^{-\lambda}, \quad (\text{B.19})$$

$$\kappa_N = \frac{\alpha}{1-\alpha} \tilde{\alpha} r_t^{-\frac{\alpha}{1-\alpha}} A_{N,t}(i)^{\frac{\alpha}{1-\alpha}-1} L_t \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}\right]^{\frac{1}{1-\alpha}}, \quad (\text{B.20})$$

$$\kappa_E = \frac{1}{1-\alpha} \tilde{\alpha} r_t^{-\frac{\alpha}{1-\alpha}} A_{N,t}(i)^{\frac{\alpha}{1-\alpha}} L_t \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}\right]^{\frac{1}{1-\alpha}-1} \tau_t p_{E,t} A_{E,t}^{-2}. \quad (\text{B.21})$$

Putting these together, we have

$$p_{N,t}^R = \alpha \psi_t A_{N,t}^{\frac{\alpha}{1-\alpha}-1} \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}\right]^{\frac{1}{1-\alpha}} \eta_N R_{N,t}^{-\lambda} A_{N,t-1}, \quad (\text{B.22})$$

$$(1 - \eta_t^S) p_{E,t}^R = \psi_t A_{N,t}^{\frac{\alpha}{1-\alpha}} \tau_t p_{E,t} A_{E,t}(i)^{-2} \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}(i)}\right]^{\frac{1}{1-\alpha}-1} \eta_E R_{E,t}^{-\lambda} A_{E,t-1}, \quad (\text{B.23})$$

where $\psi_t = \frac{\tilde{\alpha}}{1-\alpha} r_t^{\frac{-\alpha}{1-\alpha}} L_t$ is common to both terms. In the next section, I shown the optimal research allocations resulting from these first order conditions. Taking ratios of these first order conditions yields (18) in the main text.

B.3 R&D Allocations

In this section, I derive the optimal research allocations given in equations (19) and (20). First, note that $R_{J,t}(i) = R_{J,t} \forall i, t, J$. This occurs because all monopolists make identical decisions, and there are a unit mass of monopolists. This also implies that $A_{J,t}(i) = A_{J,t} \forall i, t, J$. Also, factor mobility ensures that $p_{E,t}^R = p_{N,t}^R \forall t$. Thus, equation (18) can be re-written as

$$(1 - \eta_t^S) \frac{A_{E,t}}{A_{E,t-1}} \left[\frac{A_{E,t}}{\tau_t p_{E,t}} - 1 \right] = \frac{A_{N,t}}{A_{N,t-1}} \frac{\eta_E R_E^{-\lambda}}{\alpha \eta_N R_N^{-\lambda}}. \quad (\text{B.24})$$

Replacing growth rates and technology levels with the values given by (8) and applying the resource constraint (9) yields

$$(1 - \eta_t^S)(1 + \eta_E R_E^{1-\lambda}) \left[\frac{(1 + \eta_E R_E^{1-\lambda}) A_{E,t-1}}{\tau_t p_{E,t}} - 1 \right] = (1 + \eta_N (1 - R_E)^{1-\lambda}) \frac{\eta_E R_E^{-\lambda}}{\alpha \eta_N (1 - R_E)^{-\lambda}} \quad (\text{B.25})$$

Dividing by $(1 - \eta_t^S)$, then multiplying through on the left-hand side and isolating the term with energy prices yields

$$(1 + \eta_E R_E^{1-\lambda})^2 \frac{A_{E,t-1}}{\tau_t p_{E,t}} = \frac{1}{1 - \eta_t^S} \left[\frac{\eta_E R_E^{-\lambda}}{\alpha \eta_N (1 - R_E)^{-\lambda}} (1 + \eta_N (1 - R_E)^{1-\lambda}) \right] + (1 + \eta_E R_E^{1-\lambda}). \quad (\text{B.26})$$

Distributing terms on the right-hand side leaves

$$(1 + \eta_E R_E^{1-\lambda})^2 \frac{A_{E,t-1}}{\tau_t p_{E,t}} = \frac{1}{\alpha (1 - \eta_t^S)} \left[\frac{\eta_E R_E^{-\lambda}}{\eta_N (1 - R_E)^{-\lambda}} + \eta_E R_E^{-\lambda} - \eta_E R_E^{1-\lambda} \right] + (1 + \eta_E R_E^{1-\lambda}). \quad (\text{B.27})$$

Now, (19) can be derived by multiplying through by $\frac{\tau_t p_{E,t}}{A_{E,t-1}}$, taking the square root of both sides, subtracting one, and dividing by $\eta_E R_E^{-\lambda}$.

B.4 Solving the Model

B.4.1 Intensive Form

In this section, I show how to solve the model in intensive form. This is helpful both for the quantitative exercise (see Section 5.4) and in proving the propositions in Sections 4.4 and 4.5. For any variable Z_t , I define

$$z_t \equiv \frac{Z_t}{L_t A_{R,t}}, \quad (\text{B.28})$$

where $A_{R,t} = TFP_t^{\frac{1}{1-\alpha}}$ and $TFP_t = A_{N,t}^\alpha [1 - \frac{p_{E,t}}{A_{E,t}}]$. Applying (6), (7), and (10), this yields

$$y_t = k_t^\alpha, \quad (\text{B.29})$$

$$k_{t+1} = \frac{y_t - c_t}{(1 + g_{R,t+1})(1 + n)}, \quad (\text{B.30})$$

where $1 + g_{R,t} = \frac{A_{R,t}}{A_{R,t-1}} = (1 + g_{TFP,t})^{\frac{1}{1-\alpha}}$. Moreover, the Euler equation yields

$$\left(\frac{c_{t+1}}{c_t}\right)^\sigma = \frac{\beta r_{t+1}}{(1 + g_{R,t+1})^\sigma}. \quad (\text{B.31})$$

Finally, when considering the interest rate, it is also important to keep track of the energy tax rate, τ_t . Let $\tilde{A}_{R,t} = A_{N,t}^\alpha [1 - \frac{\tau_t p_{E,t}}{A_{E,t}}]$ be TFP adjusted for energy taxes. Then, from equation (16),

$$r_t = \alpha^2 A_{N,t}^\alpha [1 - \frac{\tau_t p_{E,t}}{A_{E,t}}] K_t^{\alpha-1} L_t^{1-\alpha} \quad (\text{B.32})$$

$$= \alpha^2 \left(\frac{K_t}{\tilde{A}_{R,t} L_t}\right)^{\alpha-1} \quad (\text{B.33})$$

$$= \alpha^2 \left(\frac{A_{R,t}}{\tilde{A}_{R,t}}\right)^{\alpha-1} \left(\frac{K_t}{A_{R,t} L_t}\right)^{\alpha-1} \quad (\text{B.34})$$

$$= \tilde{\tau}_t \alpha^2 k_t^{\alpha-1}, \quad (\text{B.35})$$

where $\tilde{\tau}_t \equiv \left(\frac{A_{R,t}}{\tilde{A}_{R,t}}\right)^{\alpha-1} = \frac{1 - \frac{\tau_t p_{E,t}}{A_{E,t}}}{1 - \frac{p_{E,t}}{A_{E,t}}}$ is the interest rate wedge caused by the introduction of energy taxes.

When solving the model, I guess on a path of energy prices and then solve for the research allocations and growth rates. Then, the solution to the remainder of the model is given by (B.29), (B.30), (B.31), and (B.35). As described above, this is just the standard neoclassical growth model with a few additions. The α^2 term in (B.35) is the standard adjustment for monopolistic competition, $\tilde{\tau}_t$ is the wedge in the interest rate caused by energy taxes, and $g_{R,t}$ may not be constant due to endogenous research allocations and energy prices.

B.4.2 Proof to Propositions 1, 2, and 4.

Proof of items 3 – 5 of Propositions 2 and 4. To find the BGP, first note that $\tilde{\tau}_t = \bar{\tau}$, a constant. In the laissez-faire case, $\bar{\tau} = 1$. In the case of environmental policy (EP), $\bar{\tau} = [1 - \frac{\tau_t p_{E,t}}{A_{E,t}}]$, which is also constant. In the EP case, the economy does not converge to the BGP in finite time. As discussed in the main text, $g_{TFP} = (1 + g_N^*)^\alpha - 1$ on the BGP because $[1 - \frac{p_{E,t}}{A_{E,t}}]$ is fixed (at 1 in the case of EP). Thus, the growth rate of output per person is given by $g_R^* = (1 + g_N^*)^{\frac{\alpha}{1-\alpha}} - 1$.

With constant growth rates of technology, the BGP is given by:

$$\bar{r} = \frac{(1 + g_R^*)^\sigma}{\beta}, \quad (\text{B.36})$$

$$\bar{k} = \left(\frac{\bar{r}\alpha^2}{\bar{r}}\right)^{\frac{1}{1-\alpha}}, \quad (\text{B.37})$$

$$\bar{y} = \bar{k}^\alpha, \quad (\text{B.38})$$

$$\bar{c} = \bar{y} - (1 + g_R^*)(1 + n)\bar{k}, \quad (\text{B.39})$$

where \bar{z} denotes the steady state value of z . Thus, r_t is constant, Y_t/L_t and C_t/L_t grow at rate g_R^* , and Y_t and K_t grow at rate $g_Y^* = (1 + g_R^*)(1 + n) - 1$. This proves parts (3) – (5) of Propositions 2 and 4.

Proposition 1 and Item 6 of Propositions 2 and 4. On the BGP, both per period and cumulative energy use grow at the same, weakly positive rate. At any point in time, energy use is given by

$$E_t = \frac{A_{N,t}^\alpha}{A_{E,t}} K_t^\alpha L_t^{1-\alpha}. \quad (\text{B.40})$$

On the BGP, therefore, the growth rate of energy is given by

$$g_M^* = \frac{(1 + g_N^*)^{\frac{\alpha}{1-\alpha}}}{(1 + g_E^*)} (1 + n) - 1. \quad (\text{B.41})$$

This proves item (6) of the propositions, except for the sign restrictions. Research allocations must be interior due to the congestion effects. This implies that $\tau_t p_{E,t}$ is growing on the BGP. In a *laissez-faire equilibrium*, this implies that $p_{E,t}$ is growing and, as a result, that the growth rate of energy use is positive. In the EP case, if g_τ is sufficiently high, then a BGP requires $1 + g_E^* > (1 + g_N^*)^{\frac{\alpha}{1-\alpha}} (1 + n)$ (see item (1)). If the per period growth rate of energy use is negative, then the cumulative growth rate and the growth rate of the price of energy both converge to zero in the limit. In this case, energy efficiency grows at rate g_τ on the BGP.

Items 1 and 2 of Propositions 2 and 4. On a BGP, energy efficiency grows at the rate of the energy price times the growth in energy taxes. Writing the price of energy in terms of energy use,

$$(1 + g_M^*)^t (1 + g_\tau) = (1 + g_E^*). \quad (\text{B.42})$$

Combining these last two equations yields

$$(1 + g_E^*)^{1+1/\iota} (1 + g_\tau)^{-1/\iota} = (1 + g_N^*)^{\frac{\alpha}{1-\alpha}} (1 + n). \quad (\text{B.43})$$

The existence of an interior solution is guaranteed by assumption (A.1). Applying (8) and (9) to this equation yields item (2) of Propositions 2 and 4. Rearranging yields item (1).

Item 7 of Propositions 2 and 4. All that remains to show for these two propositions is that expenditure shares are constant. To start, from equation (14) note that

$$w_t L_t = (1 - \alpha) A_{N,t}^\alpha \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}}\right] K^\alpha L^{1-\alpha} = \tilde{\tau}_t (1 - \alpha) Y_t, \quad (\text{B.44})$$

which implies that the share is constant on the BGP. Next, from (22) and (16),

$$r_t K_t = \alpha^2 A_{N,t}^\alpha \left[1 - \frac{\tau_t p_{E,t}}{A_{E,t}}\right] K^\alpha L^{1-\alpha} = \tilde{\tau}_t \alpha^2 Y_t, \quad (\text{B.45})$$

which again implies that the share is constant on the BGP. The remaining share, $(1 - \alpha - \alpha^2)$, is the production profits of the monopolists. This can be further divided into pure profits and payments to research inputs. All research inputs are hired at the same rate. By equation (B.22), total payments to research inputs is given by

$$p_t^R = \frac{\alpha}{1 - \alpha} \left(\frac{1}{\alpha} - 1\right) \frac{r_t X_t}{A_{N,t}} \eta_N R_N^{-\lambda} A_{N,t-1} \quad (\text{B.46})$$

$$= \frac{\alpha}{1 - \alpha} \left(\frac{1}{\alpha} - 1\right) \cdot \frac{\eta_N (R_N)^{-\lambda}}{1 + g_N} \cdot \tau_t \alpha^2 Y_t, \quad (\text{B.47})$$

noting that there is a unit mass of research inputs. The remaining share of final output is paid to monopolists as pure profits.

To get the energy expenditure share in either case, rearrange equation (19) to isolate $\frac{\tau_t p_{E,t}}{A_{E,t-1}} = \frac{\tau_t p_{E,t}(1+g_E^*)}{A_{E,t}}$, which is constant. In the laissez-faire case, $\tau_t = 1$ and $\frac{p_{E,t}}{A_{E,t}} = \frac{\theta_E^*}{1+\theta_E^*}$. In the EP case, $\lim_{t \rightarrow \infty} \frac{p_{E,t}}{A_{E,t}} = 0 \Rightarrow \lim_{t \rightarrow \infty} \theta_{E,t} - \frac{\tau_t p_{E,t}}{A_{E,t}} = 0$. Thus, item (7) of the propositions is proven.

B.5 The Cobb-Douglas Model

In this section, I derive the dynamics, BGP, and calibration procedure for the Cobb-Douglas model. To start, I note that, due to perfect competition, aggregate energy use is given by

$$E_t = \left(\frac{\nu}{\tau_t p_{E,t}}\right)^{\frac{1}{1-\nu}} (A_t^{CD})^{\frac{1}{1-\nu}} K_t^{\frac{\gamma}{1-\nu}} L_t^{\frac{1-\gamma-\nu}{1-\nu}}. \quad (\text{B.48})$$

This, in turn, yields

$$Q_t = \left(\frac{\nu}{p_{E,t} \cdot \tau_t}\right)^{\frac{\nu}{1-\nu}} (A_t^{CD})^{\frac{1}{1-\nu}} K_t^{\frac{\gamma}{1-\nu}} L_t^{\frac{(1-\gamma-\nu)}{1-\nu}}, \quad (\text{B.49})$$

$$Y_t = \left(1 - \frac{\nu}{\tau}\right) Q_t. \quad (\text{B.50})$$

To analyze the model in intensive form, I define

$$z_t = \frac{Z_t}{L_t(A_t^{CD})^{\frac{1}{1-\gamma-\nu}}(\tau_t \cdot p_{E,t})^{\frac{-\nu}{1-\gamma-\nu}}}, \quad (\text{B.51})$$

for any variable Z_t . This notation is specific to Appendix Section B.5.

The Euler equation is the same as in the putty-clay case. In intensive form,

$$\frac{c_{t+1}}{c_t} = \frac{\beta r_{t+1}}{(1 + g_{CD})^{\frac{1}{1-\gamma-\nu}}(1 + \tilde{g}_{P,t+1})^{\frac{-\nu}{1-\gamma-\nu}}}, \quad (\text{B.52})$$

where $1 + \tilde{g}_{P,t+1} = (1 + g_{\tau,t+1})(1 + g_{P,t+1})$, $1 + g_{\tau,t} = \frac{\tau_t}{\tau_{t-1}}$, and I have imposed $\sigma = 1$. The rest of the dynamics are given by

$$k_{t+1} = \frac{y_t - c_t}{(1 + g_{CD,t+1})^{\frac{1}{1-\gamma-\nu}}(1 + \tilde{g}_{P,t+1})^{\frac{-\nu}{1-\gamma-\nu}}(1 + n)}, \quad (\text{B.53})$$

$$y_t = \left(1 - \frac{\nu}{\tau}\right) \nu^{\frac{\nu}{1-\nu}} k_t^{\frac{\gamma}{1-\nu}}, \quad (\text{B.54})$$

$$r_t = \gamma k_t^{\frac{\gamma-(1-\nu)}{1-\nu}}. \quad (\text{B.55})$$

As in the case of the putty-clay model, I solve the model by first guessing a path of energy taxes and then solving the growth model with equations (B.52) – (B.55).

I consider the BGP in a *laissez-faire equilibrium*. This gives

$$\bar{r} = \frac{(1 + g_{CD}^*)^{\frac{1}{1-\gamma-\nu}}(1 + g_P^*)^{\frac{-\nu}{1-\gamma-\nu}}}{\beta}, \quad (\text{B.56})$$

$$\bar{k} = (\bar{r}/\gamma)^{\frac{1-\nu}{\gamma-(1-\nu)}}, \quad (\text{B.57})$$

$$\bar{y} = (1 - \nu) \nu^{\frac{\nu}{1-\nu}} \bar{k}^{\frac{\gamma}{1-\nu}}, \quad (\text{B.58})$$

$$\bar{c} = \bar{y} - (1 + g_{CD}^*)^{\frac{1}{1-\gamma-\nu}}(1 + g_P^*)^{\frac{-\nu}{1-\gamma-\nu}}(1 + n)\bar{k}. \quad (\text{B.59})$$

As a result, r_t is constant, Y_t/L_t and C_t/L_t grow at rate $(g_R^*)^{CD} = (1 + g_{CD}^*)^{\frac{1}{1-\gamma-\nu}}(1 + g_P^*)^{\frac{-\nu}{1-\gamma-\nu}} - 1$, and Y_t and K_t grow at rate $g_Y^{CD} = (1 + g_R^*)^{CD}(1 + n) - 1$.

I calibrate the model to the BGP using the same data as employed for the putty-clay model, leading to observationally equivalent paths for output and energy use. To match the energy expenditure share, I set

$$\frac{\nu}{1 - \nu} = \theta_E^* \quad (\text{B.60})$$

and

$$\gamma = \alpha - \nu. \quad (\text{B.61})$$

All that remains is to ensure that total output grows at the same rate in the two models, which implies that energy use will also grow at the same rate. Since the energy sector is equivalent in the two models, this further implies that the price of energy will grow at the same rate. Thus, I set $(g_R^*)^{CD} = g_R^*$, where the latter comes from the putty-clay model in Section B.4.1. This implies that

$$g_R^* = (1 + g_{CD}^*)^{\frac{1}{1-\gamma-\nu}} (1 + g_P^*)^{\frac{-\nu}{1-\gamma-\nu}} - 1 \Rightarrow \quad (\text{B.62})$$

$$g_{CD}^* = (1 + g_R^*)^{1-\gamma-\nu} (1 + g_E^*)^\nu - 1. \quad (\text{B.63})$$

The calibration yields $g_{CD}^* = .42$, which corresponds to an annual growth rate of 3.5%. The growth rate of TFP is higher in the Cobb-Douglas case because it needs to overcome the drag of rising energy prices to achieve the same BGP rates of growth in consumption and output.

B.6 Alternate Formulations

B.6.1 R&D Production Function

In this section, I discuss an equivalent formulation for the R&D production function, equation (8), that illustrates why the time-invariant component of research productivity might differ between sectors. I consider the case where R&D to improve aggregate technology A_J requires progress on a set of distinct steps or processes. This approach is closely related to the notion of sector diversity in [Fried \(forthcoming\)](#). The number of processes, ρ_J , is fixed over time, and R&D inputs are distributed equally across processes. Now, the R&D production function is given by

$$A_{J,t} = \left[1 + \omega \left(\frac{R_{J,t}(i)}{\rho_J} \right) \left(\frac{R_{J,t}}{\rho_J} \right)^{-\lambda} \right] A_{J,t-1}, \quad (\text{B.64})$$

where ω is the inherent efficiency of research, which is common to both sectors. The term $\left(\frac{R_{J,t}(i)}{\rho_J} \right)$ captures each firm's effective investment in research of type J . The rate of technological progress depends on the number of research inputs devoted to each process. The degree of congestion is given by $\left(\frac{R_{J,t}}{\rho_J} \right)^{-\lambda}$, which increases with economy-wide investment and decreases in the number of processes. Setting $\eta_J = \omega \rho_J^{\lambda-1}$ yields the specification in the main text. The calibration gives $\eta_E > \eta_N$, implying that there is greater diversity in non-energy research.

B.6.2 Final Good Production

In this section, I consider an equivalent formulation for the aggregate production function, equation (2), that further highlights the continuity with the existing DTC literature. Consider the following equations,

$$Y_t = L_t^{1-\alpha} \int_0^1 (A_{N,t}(i) X_t(i))^\alpha \frac{E_t(i)}{R_t(i)} di \quad (\text{B.65})$$

$$s.t. \quad E(i) \leq R(i), \quad (\text{B.66})$$

where L_t is the aggregate (and inelastic) labor supply, $A_{N,t}(i)$ is the the quality of capital good i , $X_t(i)$ is the quantity of capital good i , $R_t(i)$ is the amount of energy required to run capital good i at full capacity, and $E_t(i)$ is the amount of actual energy used to run capital good i .

It is easiest to start by comparing this equation to the standard production function used in DTC models (and, more generally, in many endogenous growth models): $Y_t = L_t^{1-\alpha} \int_0^1 (A_{N,t}(i)X_t(i))^\alpha di$. Here, final production is the combination of a set of processes, each of which combines aggregate labor, L_t , with a specific capital good, $X_t(i)$. The effectiveness of each process is determined by the quality of the capital good, $A_{N,t}(i)$. Each of these processes is perfectly substitutable with the others, though each is used in equilibrium because of diminishing returns to capital. To this standard approach, I add energy requirements. In particular, I assume that each piece of capital requires a specific amount of energy, $R_t(i)$, to run at full capacity. If the amount of energy, $E_t(i)$, devoted to process i is less than $R_t(i)$, then the final goods producer receives less than the full benefit of that process. In particular, if the final good producer allocates, say, 80% of the required energy, i.e. $E_t(i)/R_t(i) = .8$, then it receives 80% of full capacity output.

To actually work with the model, it is necessary to assign a functional form to the energy requirement function, $R(i)$. Consider the following specification:

$$R_t(i) = L_t^{1-\alpha} (A_{N,t}(i)X_t(i))^\alpha \frac{1}{A_{E,t}(i)}, \quad (\text{B.67})$$

where $A_{E,t}(i)$ is a measure of energy efficiency. There are several key things to note about this function. First, consistent with the econometric literature on energy use, energy requirements depend both on the amount of capital and the amount of labor being used in the production process (Van der Werf, 2008; Hassler et al., 2012). Second, consistent with both the econometric and DTC literatures, improvements in non-energy technology, $A_{N,t}(i)$, raise energy requirements (Smulders and De Nooij, 2003; Van der Werf, 2008; Hassler et al., 2012, 2016b; Fried, forthcoming). Replacing (B.67) into (B.65) and (B.66) demonstrates that this set-up is identical to (2) and (3).

B.7 Robustness Exercises




Figure B.1: Robustness exercises. Panels (a) – (c) consider alternate values of research congestion, λ . In each case, $g_\tau = 0.26$, which is the tax rate requires to achieve policy goals with the Cobb-Douglas model. Panel (d) presents the results when energy prices grow exogenously at rate, $g_P = 0.21$. This matches the growth rate of energy prices on the BGP in the baseline scenarios. The tax rate for panel (d) is given by $g_\tau = 0.18$, which is the tax rate requires to achieve policy goals with the Cobb-Douglas model.